

TABLE 2E.

KENT, INGHAM & SAGINAW COUNTY GRAIN TRIALS - EARLY (101 Day and Earlier)

ZONE 2

2003 Brand / Hybrid	RM	KENT					INGHAM					SAGINAW					TRIAL AVERAGE					QUALITY		
		%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	Prot	Oil	Strch
BAYSIDE 1700	100	22.8	199.9	54.8	0.4	97	19.6 *	204.6	56.1	0.5	98	21.3	186.7	54.0	1.8	95	21.2	197.1	55.0	0.9	97	8.8	4.0	59.0
BAYSIDE 1795	95	21.8	204.1	55.1	0.4	92	18.2	195.2	56.3	3.0	95	18.6	192.3	55.4	1.0	96	19.5	197.2	55.6	1.5	94	8.7	3.9	59.5
BAYSIDE 1797	97	23.0	208.0	55.4	1.6	96	18.8 *	200.6	56.0	1.0	100	18.8	171.1	56.3	4.8	99	20.2	193.2	55.9	2.5	98	7.6	3.7	60.7
BAYSIDE 1899	99	25.1	189.0	53.0	0.7	87	20.3 *	203.6	55.8	1.0	99	22.2	181.9	53.8	1.8	94	22.5	191.5	54.2	1.2	93	8.7	3.5	59.1
BAYSIDE 2099	99	21.2	200.2	55.1	2.7	100	18.2 *	205.4	57.3	2.3	98	18.8	177.4	54.9	5.1	97	19.4	194.3	55.8	3.4	98	9.4	4.0	57.4
BAYSIDE NorthGro NG5545RR	95	23.3	189.9	54.5	0.7	83	18.1 *	200.8	56.5	1.0	91	18.6	176.7	55.3	2.5	93	20.0	189.1	55.4	1.4	89	8.7	3.7	59.4
BAYSIDE NorthGro NG5633RR	99	21.5	199.3	53.4	1.0	100	18.3 *	199.4	56.2	1.4	98	17.9	174.2	54.9	1.7	96	19.2	191.0	54.8	1.4	98	8.5	3.6	59.5
BAYSIDE Super 93	93	21.0 *	212.1	54.9	2.5	100	17.6 *	198.9	56.2	2.5	99	18.3	186.4	55.4	2.0	97	19.0 *	199.1	55.5	2.3	99	7.7	3.8	60.3
BIO GENE BG940	91	21.8	202.8	55.4	0.4	92	17.5	193.9	56.0	8.0	99	20.2 *	199.9	54.9	3.1	98	19.8	198.9	55.4	3.8	97	7.9	4.6	57.9
BIO GENE BG991	99	21.8	205.1	55.2	2.0	89	17.7	189.8	56.4	1.7	94	18.9	181.7	55.3	0.6	94	19.5	192.2	55.6	1.4	92	8.4	3.8	59.9
BROWN 5130YGCB	99	25.9	203.2	53.2	0.2	94	20.6 *	199.8	54.4	0.4	98	23.7	184.4	53.3	1.3	95	23.4	195.8	53.6	0.6	95	8.8	3.6	58.8
BROWN 5636	98	25.2	157.0	52.7	0.1	59	20.4	176.4	54.4	1.0	77	23.8	172.7	52.1	0.4	77	23.1	168.7	53.1	0.5	71	8.6	3.4	59.6
BROWN 6079	100	26.2	181.8	51.3	0.8	82	19.1 *	196.1	54.2	2.0	93	18.8	171.4	52.4	3.4	88	21.4	183.1	52.6	2.1	88	8.3	3.7	59.1
BROWN 6220	100	26.5 *	211.5	52.2	0.6	99	21.5	191.3	54.1	0.5	99	23.3	184.5	52.9	2.0	98	23.8	195.8	53.1	1.0	99	7.9	3.5	60.5
CORN BELT C510Bt	100	22.7	194.0	54.5	0.1	93	19.2 *	201.1	56.6	1.0	96	19.7	180.1	55.2	3.6	94	20.5	191.7	55.4	1.6	94	8.3	4.3	59.1
CROW'S 2105B	100	25.5	202.4	53.4	0.3	94	20.3 *	199.3	55.6	1.5	100	23.7	178.1	53.6	2.1	94	23.2	193.3	54.2	1.3	96	8.4	3.6	59.4
DAIRYLAND STEALTH-1497	97	20.9	195.8	55.6	0.4	95	17.6 *	195.8	56.5	2.9	100	19.2	190.1	55.4	2.2	97	19.2	193.9	55.8	1.8	97	8.0	4.6	57.9
DAIRYLAND STEALTH-1598	98	22.6	194.4	53.9	1.7	84	17.9 *	213.3	55.8	0.8	94	18.3	184.8	55.8	2.3	90	19.6	197.5	55.2	1.6	89	8.7	3.7	59.2
DAIRYLAND STEALTH-5497	98	20.7	196.6	55.2	1.4	89	17.8 *	197.4	56.6	5.8	98	20.3 *	197.5	54.9	1.9	95	19.6	197.2	55.6	3.0	94	7.7	4.3	58.6
DEKALB DKC46-28 (RR)	96	20.5	195.2	55.8	1.4	97	18.4 *	203.0	57.6	4.6	100	19.3 *	196.1	56.3	3.0	99	19.4	198.1	56.6	3.0	99	7.7	4.0	59.8
DEKALB DKC47-10 (RR/YGCB)	97	19.3	196.8	57.2	1.1	99	18.9 *	202.4	58.4	3.2	100	18.9	193.4	57.1	2.1	95	19.0	197.5	57.6	2.1	98	7.8	4.0	59.0
DEKALB DKC50-18 (YGCB)	100	21.5 *	217.3	55.3	0.7	99	19.6 *	200.7	56.3	2.6	100	18.9 *	202.1	55.8	1.0	97	20.0 *	206.7	55.8	1.4	98	8.0	4.0	58.9
DEKALB DKC51-43	101	21.0	205.4	55.3	1.6	99	19.0 *	209.6	56.4	2.3	100	18.5	186.8	56.0	1.8	97	19.5 *	200.6	55.9	1.9	99	7.7	4.0	59.5
DYNAGRO 53F09	94	22.3	196.7	54.6	0.4	82	18.3	195.4	56.1	2.2	94	20.1 *	196.4	55.2	1.8	90	20.2	196.2	55.3	1.5	89	8.2	4.6	57.5
DYNAGRO 53F49	93	20.4	193.7	56.0	1.2	94	17.2 *	201.5	57.8	3.4	98	19.1	188.7	56.3	2.8	98	18.9	194.6	56.7	2.5	97	7.8	4.4	58.3
DYNAGRO 55F16	101	23.4	208.4	53.0	0.5	96	20.5 *	206.8	54.7	1.0	100	20.4 *	198.4	53.3	0.7	98	21.4 *	204.5	53.7	0.7	98	8.6	4.1	57.8
DYNAGRO DG-5240Bt	96	23.1	198.2	54.1	0.1	91	18.1	186.5	57.3	2.5	95	19.5	187.1	55.6	0.7	96	20.2	190.6	55.7	1.1	94	8.5	4.0	59.1
DYNAGRO DG-5295Bt	100	24.5	204.2	54.3	1.1	91	20.9 *	197.7	55.0	1.6	96	22.4	185.9	54.7	1.0	92	22.6	195.9	54.7	1.2	93	8.8	3.6	58.6
GARST 8787YG1	100	24.6	187.6	54.7	0.0	94	20.7	192.4	57.7	0.9	100	21.2	176.5	55.5	1.3	98	22.2	185.5	56.0	0.7	97	8.1	3.5	60.0
GARST ND876RR	95	22.1	196.7	55.0	0.8	94	18.1	186.7	56.2	7.2	100	18.9 *	194.9	56.4	0.3	100	19.7	192.8	55.9	2.8	98	8.0	4.2	58.8
GENESIS 2D100RRYGCB	100	25.4	194.4	53.2	0.0	96	20.5 *	210.3	55.4	1.1	99	24.2	186.0	52.8	1.1	95	23.4	196.9	53.8	0.7	97	8.5	3.8	58.9
GENESIS 3C96YG	96	20.5	205.5	56.8	0.1	100	17.8	192.0	58.5	1.9	100	18.5	181.8	57.6	0.7	97	18.9	193.1	57.6	0.9	99	8.9	3.3	58.6
GENESIS 3C100YG	100	25.4 *	219.2	53.6	-0.1	99	20.2	191.0	55.7	1.0	99	23.3	182.6	53.8	1.4	96	23.0	197.6	54.4	0.8	98	8.6	3.5	59.0
GENESIS 4B100	100	21.6	190.4	54.7	1.8	92	18.6	186.0	57.1	5.3	99	18.6	183.8	55.5	6.1	100	19.6	186.7	55.8	4.4	97	9.7	4.2	56.9
GOLDEN HARVEST H-7267Bt	97	21.7	185.5	54.4	1.2	89	18.2	176.5	56.1	2.5	89	18.4	183.7	55.4	2.2	90	19.4	181.9	55.3	2.0	89	9.0	4.0	58.5
GOLDEN HARVEST H-7287	97	21.6 *	211.5	54.4	1.0	93	18.0	184.7	56.8	1.5	97	19.8	176.8	54.1	1.8	91	19.8	191.0	55.1	1.4	94	8.8	3.9	59.1
GOLDEN HARVEST H-7298RR	98	22.6 *	213.3	56.2	1.3	86	18.3	195.1	56.7	4.6	97	19.3	185.0	55.1	1.2	95	20.1	197.8	56.0	2.4	92	8.5	3.6	60.1
HIGH CYCLE HC7525Bt	100	21.7	208.9	55.7	0.0	96	18.7 *	206.1	57.3	2.1	100	17.8	180.1	56.8	2.3	99	19.4	198.4	56.6	1.5	98	8.7	4.4	57.9
HYLAND SEEDS HLB292	98	22.5	207.8	55.1	0.5	90	18.3 *	208.0	56.2	1.6	100	18.5	182.2	55.5	0.7	98	19.8 *	199.3	55.6	0.9	96	9.2	4.1	57.9
HYLAND SEEDS HLB330	100	27.2	193.7	52.7	0.4	98	22.2 *	201.7	55.0	0.1	100	23.3	182.0	54.5	0.3	98	24.2	192.5	54.1	0.3	99	8.5	4.1	58.7
HYLAND SEEDS HL2368	90	20.7	190.9	55.2	2.7	98	17.5	185.2	55.9	4.5	100	18.4	184.6	55.9	3.5	94	18.9	186.9	55.7	3.6	97	8.1	4.6	57.6
HYLAND SEEDS HL2507	100	22.7	195.0	54.8	0.7	98	19.7 *	210.9	54.4	1.4	100	18.3	168.9	55.1	2.1	94	20.2	191.6	54.8	1.4	97	9.2	4.3	57.7
HYLAND SEEDS HL2730	99	26.3	198.7	54.2	2.0	93	21.7 *	199.2	54.7	1.4	99	23.4	188.6	54.6	1.7	98	23.8	195.5	54.5	1.7	97	8.8	3.9	58.0
HYLAND SEEDS HL2744	101	29.1	187.3	51.2	0.3	93	22.4 *	201.1	53.3	1.6	99	21.1	159.4	52.8	12.8	97	24.2	182.6	52.4	4.9	96	8.1	4.1	59.1
LEGACY EX585	98	24.4	208.0	53.7	0.2	95	19.4 *	210.4	56.3	0.9	90	20.8	192.2	54.7	2.9	88	21.5 *	203.5	54.9	1.3	91	7.7	3.8	59.5

LG SEEDS LG2463Bt	96	20.7	207.1	55.1	0.2	92	18.8	**	214.5	56.1	1.0	100	19.4	*	200.8	55.4	2.0	100	19.6	**	207.5	55.5	1.1	97	7.6	4.6	58.3	
LG SEEDS LG2489	98	23.1	183.6	53.0	1.9	94	19.7	*	199.6	54.5	1.3	96	20.2		182.9	54.0	2.6	93	21.0		188.7	53.8	1.9	94	8.3	4.1	58.8	
LG SEEDS LG2503RR	101	23.5	194.7	54.2	0.5	88	19.4		194.7	56.4	0.9	96	20.0		189.0	55.5	1.4	95	21.0		192.8	55.4	0.9	93	8.7	3.6	59.5	
MIDWEST GENETIC G7221B	101	24.9	202.8	54.1	0.4	94	21.4		193.3	56.1	0.3	99	20.6		180.8	55.1	8.4	99	22.3		192.3	55.1	3.0	97	8.6	4.3	58.4	
NEW CENTURY NC95	96	21.8	202.5	54.2	0.4	97	17.8		192.3	55.9	1.6	100	18.1		176.0	55.1	2.3	99	19.2		190.3	55.1	1.4	99	7.8	3.9	60.1	
NEW CENTURY NC1101	100	23.3	194.6	54.9	0.0	99	18.8	*	210.7	56.6	0.7	100	20.4		177.3	54.8	0.7	97	20.8		194.2	55.4	0.5	99	8.5	3.7	59.4	
NK Brand N43-C4	98	23.8	192.8	52.4	2.1	95	19.0	*	207.0	54.2	1.6	99	18.9		190.5	54.0	1.4	96	20.6		196.8	53.5	1.7	96	8.8	4.1	58.0	
NK Brand N45-A6	101	21.5	206.2	53.9	0.4	94	18.4	*	204.4	54.1	2.0	100	17.7		179.2	54.7	7.7	96	19.2		196.6	54.2	3.4	97	7.8	4.5	57.8	
PIONEER 37D25	97	20.9	**	227.6	55.4	1.5	95	18.1	*	201.5	57.0	5.6	99	18.0		185.1	56.8	1.3	97	19.0	*	204.7	56.4	2.8	97	8.8	4.0	58.0
PIONEER 37F16	98	23.2	201.0	54.4	0.4	86	19.2		179.9	55.0	1.8	99	18.8	**	206.5	55.8	0.7	96	20.4		195.8	55.1	1.0	94	9.0	4.4	56.8	
PIONEER 38A25	96	24.0	185.3	55.9	0.4	88	19.3		178.8	58.1	1.9	97	19.7		179.5	57.7	1.8	93	21.0		181.2	57.2	1.4	93	8.6	4.3	57.8	
PIONEER 38H67	98	22.2	178.9	54.3	0.7	90	18.4		195.0	55.1	1.4	99	19.7		188.9	54.9	0.7	97	20.1		187.6	54.8	0.9	95	7.9	3.7	59.7	
RENK RK488YGCB	97	21.1	203.1	55.2	0.4	93	18.6	*	202.0	55.7	4.6	98	19.7	*	195.3	55.3	0.6	95	19.8	*	200.1	55.4	1.9	95	7.7	4.4	64.4	
RENK RK556	97	22.0	*	213.4	54.5	2.3	98	18.1	*	200.8	56.3	1.5	99	18.1		189.5	56.0	1.7	97	19.4	*	201.2	55.6	1.8	98	8.1	3.6	60.1
RENK RK569YGCB	100	22.0	174.9	55.3	0.2	80	18.1		190.3	55.5	1.6	100	18.9	*	199.7	55.5	2.1	96	19.7		188.3	55.4	1.3	92	9.1	4.5	56.5	
RENK RK645RRYGCB	100	20.6	206.8	53.8	0.4	95	17.5	*	205.9	56.4	1.3	98	18.5		172.8	53.2	1.7	95	18.9		195.2	54.5	1.1	96	8.3	3.9	59.3	
RUPP XR1609	101	25.7	198.5	51.4	0.8	90	21.2		194.9	54.2	1.2	99	23.3		182.0	52.6	0.7	94	23.4		191.8	52.7	0.9	94	7.7	3.7	60.4	
TRELAY 4200	95	21.9	198.5	54.2	0.8	84	18.7		191.1	56.5	1.4	96	19.3		182.6	55.1	2.0	94	20.0		190.7	55.3	1.4	91	8.5	3.8	59.7	
Average		22.9	198.9	54.4	0.8	93	19.1		197.8	56.0	2.1	98	19.9		185.0	55.0	2.2	95	20.6		193.9	55.1	1.7	95	8.4	4.0	58.9	
Highest		29.1	227.6	57.2	2.7	100	22.4		214.5	58.5	8.0	100	24.2		206.5	57.7	12.8	100	24.2		207.5	57.6	4.9	99	9.7	4.6	64.4	
Lowest		19.3	157.0	51.2	-0.1	59	17.2		176.4	53.3	0.1	77	17.7		159.4	52.1	0.3	77	18.9		168.7	52.4	0.3	71	7.6	3.3	56.5	
CV (%)		5.1	6.6	1.7			4.0		6.8	1.5			4.8		5.0	1.3			5.0		6.4	1.6			5.0	7.3	2.7	
LSD (.05%)		1.6	18.3	1.3			1.1		18.7	1.2			1.3		13.0	1.0			0.7		8.4	0.6			1.2	0.4	2.2	

2001 - 2003 Averages		KENT					INGHAM					SAGINAW					TRIAL AVERAGE					QUALITY						
Brand / Hybrid	RM	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	Prot	Oil	Strch				
BAYSIDE 1700	100	20.2	*	187.3	56.4	1.4	97	18.5		177.3	57.6	3.0	97	19.8	**	163.4	56.9	3.5	94	19.5	**	176.0	57.0	2.6	96	9.5	4.1	62.5
BAYSIDE 1795	95	19.4		171.0	56.8	2.1	90	18.1	*	181.8	57.6	6.2	95	18.2	*	158.6	57.8	1.7	88	18.6	*	170.5	57.4	3.3	91	9.2	4.0	63.2
BAYSIDE 1899	99	21.1		178.3	56.1	1.8	92	19.7	**	187.9	57.4	6.3	98	20.9	*	161.8	56.9	5.2	96	20.6	**	176.0	56.8	4.4	96	9.2	3.8	62.8
BAYSIDE Super 93	93	19.3	**	196.3	56.4	2.9	99	17.4		169.4	57.4	12.0	99	17.9		155.0	57.2	5.0	98	18.2	*	173.6	57.0	6.6	99	8.6	4.0	63.7
BROWN 6079	100	21.8		176.6	53.7	7.6	88	18.4	*	187.7	54.7	20.3	95	19.5	*	160.2	55.3	5.3	90	19.9	*	174.8	54.6	11.1	91	8.5	3.8	63.8
GENESIS 4B100	100	19.8		175.1	56.3	2.7	95	18.5		172.0	57.5	16.3	99	18.7	*	160.1	57.3	7.9	99	19.0		169.1	57.0	9.0	98	10.1	4.4	61.1
NEW CENTURY NC95	96	19.6		181.9	56.4	1.7	97	17.3		168.5	57.3	9.6	97	18.3		153.8	56.7	5.1	96	18.4		168.1	56.8	5.5	97	8.8	4.3	63.3
NK Brand N43-C4	98	20.6	*	185.7	53.7	2.0	94	17.9		178.1	55.5	5.0	98	18.6	**	163.4	55.4	3.4	95	19.0	*	175.7	54.9	3.5	95	9.6	4.3	61.1
Average		20.2		181.5	55.7	2.8	94	18.2		177.8	56.9	9.8	97	19.0		159.5	56.7	4.7	95	19.1		173.0	56.4	5.8	95	9.2	4.1	62.7
Highest		21.8		196.3	56.8	7.6	99	19.7		187.9	57.6	20.3	99	20.9		163.4	57.8	7.9	99	20.6		176.0	57.4	11.1	99	10.1	4.4	63.8
Lowest		19.3		171.0	53.7	1.4	88	17.3		168.5	54.7	3.0	95	17.9		153.8	55.3	1.7	88	18.2		168.1	54.6	2.6	91	8.5	3.8	61.1
CV (%)		0.8		9.0	1.3			0.8		7.2	1.5		0.9		6.3	1.1			0.9		9.3	1.3			7.2	7.3	4.7	
LSD (.05%)		0.6		11.2	0.6			0.5		9.2	0.7		0.6		7.6	0.5			0.3		6.6	0.4			0.3	0.2	0.8	

** Highest Yielding Hybrid

* Not Significantly Different from Highest Yielding Hybrid

TABLE 2E. - Two year data continued on page 16.

TABLE 2E. - Continued from page 13

KENT, INGHAM & SAGINAW COUNTY GRAIN TRIALS - EARLY (101 Day and Earlier)

ZONE 2

2002 & 2003 Averages		KENT					INGHAM					SAGINAW					TRIAL AVERAGE					QUALITY		
Brand / Hybrid	RM	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	Prot	Oil	Strch
BAYSIDE 1700	100	20.3 *	171.9	55.9	0.4	98	17.9	184.2	56.8	1.1	99	20.5 *	193.9	55.3	1.7	97	19.6 *	183.3	56.0	1.1	98	8.7	3.8	59.2
BAYSIDE 1795	95	19.4	156.3	56.4	0.7	93	17.2	188.3	57.0	1.9	96	18.6	179.1	56.1	1.1	92	18.4	174.6	56.5	1.2	94	8.5	3.8	59.8
BAYSIDE 1899	99	21.7	160.2	55.1	0.7	91	18.6 *	192.7	57.3	1.2	98	21.1	187.2	55.5	1.9	96	20.5	180.0	56.0	1.3	95	8.6	3.5	59.3
BAYSIDE 2099	99	19.5	157.2	56.1	1.3	91	17.3	187.8	57.4	2.1	92	19.0	176.9	55.8	4.1	91	18.6	174.0	56.4	2.5	91	9.5	4.1	57.5
BAYSIDE NorthGro NG5633RR	99	19.3	166.8	55.2	1.0	100	17.1	183.8	56.3	1.2	99	18.2	178.5	55.7	1.0	96	18.2	176.4	55.7	1.1	98	8.3	3.5	59.9
BAYSIDE Super 93	93	19.3 *	179.5	55.4	1.4	99	16.8	188.0	56.6	2.2	100	18.1	183.8	56.1	1.9	98	18.1 *	183.8	56.0	1.8	99	7.8	3.7	60.5
BROWN 6079	100	22.5	151.5	53.1	1.0	82	17.8 *	191.3	55.0	1.7	93	19.6	178.8	53.3	2.8	90	20.0	173.9	53.8	1.8	88	8.1	3.6	59.7
BROWN 6220	100	22.3	169.5	55.0	0.3	99	19.3	183.4	56.1	1.1	100	22.1 *	192.8	54.2	2.3	99	21.2 *	181.9	55.1	1.2	99	7.6	3.5	61.1
DAIRYLAND STEALTH-1497	97	18.8 *	175.8	55.9	1.7	97	16.8	186.4	56.7	2.7	99	18.5 *	191.1	55.9	2.5	98	18.0 *	184.4	56.2	2.3	98	7.8	4.7	58.0
DAIRYLAND STEALTH-1598	98	20.3	156.6	55.5	1.2	86	17.0 *	195.1	56.8	1.6	94	18.4 *	190.3	56.3	1.3	89	18.6	180.7	56.2	1.4	89	8.5	3.6	59.8
DYNAGRO DG-5295Bt	100	21.5 *	179.4	55.7	0.9	93	18.8 *	195.5	56.9	0.8	96	21.4 *	190.5	56.0	0.5	91	20.6 *	188.5	56.2	0.7	93	8.5	3.5	59.4
GENESIS 3C96YG	96	18.7	158.0	57.9	0.1	95	17.0	177.1	58.7	1.8	94	18.5	187.2	58.4	0.5	95	18.1	174.1	58.3	0.8	94	8.8	3.3	59.2
GENESIS 3C100YG	100	22.0 **	186.0	55.5	0.0	99	18.5	187.5	57.1	0.7	100	22.0 **	197.9	55.6	1.1	98	20.8 **	190.5	56.1	0.6	99	8.5	3.5	59.3
GENESIS 4B100	100	19.7	151.0	56.1	2.0	96	17.5	181.0	57.4	6.2	100	18.7	184.3	56.1	4.9	100	18.6	172.1	56.5	4.4	98	9.7	4.3	57.1
GOLDEN HARVEST H-7287	97	19.7	169.5	55.6	0.7	91	17.0	178.5	57.2	2.7	93	19.1	177.2	55.6	2.3	89	18.6	175.1	56.1	1.9	91	8.5	3.7	59.5
GOLDEN HARVEST H-7298RR	98	20.1	157.8	56.6	1.0	86	17.2	182.7	57.3	3.6	94	19.1	182.6	56.4	1.2	93	18.8	174.4	56.8	1.9	91	8.3	3.5	60.3
HIGH CYCLE HC7525Bt	100	20.1 *	175.8	56.0	0.3	94	17.5 **	201.1	57.6	1.4	100	18.6 *	189.6	56.8	2.2	99	18.7 *	188.8	56.8	1.3	97	8.4	4.2	59.1
HYLAND SEEDS HL2507	100	20.5	160.6	55.4	0.9	92	17.7 *	191.7	56.0	2.0	98	18.5	173.4	55.9	2.8	91	18.9	175.2	55.8	1.9	93	9.2	4.1	58.1
NEW CENTURY NC95	96	19.8	164.3	54.9	0.6	97	16.9	182.4	56.5	2.5	100	18.4	172.2	55.5	2.5	99	18.4	173.0	55.6	1.9	99	7.9	4.0	60.3
NK Brand N43-C4	98	20.9	162.7	52.9	1.2	95	17.4 *	192.7	54.8	1.0	99	18.8	180.1	54.4	0.9	95	19.0	178.5	54.0	1.0	96	8.7	4.1	58.1
PIONEER 38A25	96	21.1	158.2	56.4	0.4	91	17.9	180.3	58.4	3.4	98	19.8	183.9	57.9	2.8	96	19.6	174.1	57.6	2.2	95	8.5	4.4	58.1
RENK RK556	97	19.6 *	172.6	55.7	1.3	97	17.2 *	193.0	57.0	1.3	97	18.1	186.8	56.6	1.2	93	18.3 *	184.1	56.4	1.3	96	8.2	3.6	60.0
RENK RK569YGCB	100	21.3 *	170.5	54.6	1.1	86	17.4 *	195.7	55.3	2.0	100	20.8 *	194.4	54.0	1.5	97	19.8 *	186.9	54.6	1.5	95	8.8	4.6	57.3
Average		20.4	165.7	55.5	0.9	93	17.6	187.8	56.8	2.0	97	19.4	184.9	55.8	2.0	95	19.1	179.5	56.0	1.6	95	8.5	3.9	59.2
Highest		22.5	186.0	57.9	2.0	100	19.3	201.1	58.7	6.2	100	22.1	197.9	58.4	4.9	100	21.2	190.5	58.3	4.4	99	9.7	4.7	61.1
Lowest		18.7	151.0	52.9	0.0	82	16.8	177.1	54.8	0.7	92	18.1	172.2	53.3	0.5	89	18.0	172.1	53.8	0.6	88	7.6	3.3	57.1
CV (%)		0.9	10.4	1.3			0.6	6.6	0.9			0.9	6.2	1.0			0.8	10.1	1.2			6.6	7.3	5.5
LSD (.05%)		0.8	15.5	0.8			0.5	10.4	0.6			0.7	9.5	0.6			0.4	9.0	0.4			0.3	0.2	1.0

** Highest Yielding Hybrid

* Not Significantly Different from Highest Yielding Hybrid