

TABLE 2E.

INGHAM, KENT & SAGINAW COUNTY GRAIN TRIALS - EARLY (100 Day and Earlier)

ZONE 2

2004			INGHAM - Early				KENT - Early				SAGINAW - Early				EARLY TRIAL AVERAGE				QUALITY						
Brand / Hybrid	RM	TRT	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	Prot	Oil	Strch					
BAYSIDE 1700	100		20.7	236.6	57.0	0.0	100	18.9	218.3	56.9	0.2	99	25.1	212.3	53.5	0.7	100	21.6	222.4	55.8	0.3	100	7.7	3.6	60.3
BAYSIDE 1795	95		18.9	224.5	57.2	1.1	100	18.4	222.5	57.2	0.8	99	23.5	225.3	54.4	1.1	100	20.2	224.1	56.3	1.0	100	7.3	3.9	60.7
BAYSIDE 2295	95		18.3	224.8	57.3	0.4	100	16.0	199.6	58.1	1.4	100	21.7	228.8	55.4	0.0	100	18.7	217.7	56.9	0.6	100	7.4	4.5	58.9
BAYSIDE NorthGro NG4757RR	94		19.3	223.6	57.3	0.0	100	16.8	208.4	58.1	0.5	100	22.6	215.8	54.7	0.0	100	19.6	215.9	56.7	0.2	100	7.1	4.6	59.0
BAYSIDE NorthGro NG4767YG	95		18.7	228.3	57.2	0.4	99	16.1	194.5	57.9	1.6	100	22.5	222.7	54.2	0.7	98	19.1	215.2	56.5	0.9	99	6.7	4.4	59.7
BAYSIDE NorthGro NG5072RR	93		19.1	222.5	57.7	0.4	100	17.1	200.7	56.7	0.2	100	23.5	213.6	54.0	0.4	100	19.9	212.2	56.1	0.3	100	7.0	3.9	61.5
BAYSIDE Super 93	93		19.5	213.6	56.3	0.0	100	17.7	207.1	56.4	0.9	100	23.1	211.8	53.5	0.7	100	20.1	210.8	55.4	0.5	100	6.7	3.7	61.7
CORN BELT C435Bt	95		18.5	223.3	57.3	0.4	100	15.9	201.3	57.9	2.5	100	22.6	232.5	54.9	0.0	101	19.0	219.0	56.7	0.9	100	7.4	4.4	59.7
GOLDEN HARVEST EX27207Bt	95		18.7	224.9	57.6	0.4	100	16.1	200.5	57.8	3.6	100	22.0	230.2	55.0	0.0	100	18.9	218.5	56.8	1.3	100	6.9	4.4	59.8
GOLDEN HARVEST H-6907RR	95		18.2	223.7	57.2	0.0	100	16.2	208.5	58.3	0.9	100	21.6	220.8	55.8	0.0	100	18.7	217.7	57.1	0.3	100	7.1	4.5	59.3
GOLDEN HARVEST H-7298RR	98		19.1	223.2	57.3	0.0	100	19.1	225.8	56.2	0.1	99	24.2	232.6	53.3	0.4	98	20.8	227.2	55.6	0.1	99	7.7	3.6	59.5
LEGACY 37L84	92		18.6	228.9	57.5	0.4	100	16.8	206.5	58.1	1.9	100	23.0	227.8	54.3	0.0	100	19.5	221.1	56.6	0.7	100	6.9	4.4	59.4
RENK RK438RRYGCB	92		18.3	221.8	58.9	0.7	99	15.9	199.2	59.6	0.7	100	21.3	221.3	57.5	0.0	95	18.5	214.1	58.6	0.5	98	7.0	4.0	59.3
RENK RK452LLYGCB	94		19.6	224.5	57.6	0.0	100	15.9	194.9	59.5	0.4	100	23.1	224.8	54.7	0.0	100	19.5	214.7	57.3	0.2	100	6.7	3.8	61.1
RENK RK478RRYGCB	94		19.6	207.3	58.5	1.4	99	16.1	188.5	59.6	0.7	100	22.2	214.1	56.6	0.4	99	19.3	203.3	58.2	0.8	99	7.6	3.4	60.4
RENK RK488RR	95		18.6	230.0	58.0	0.4	100	16.6	207.9	58.0	0.6	100	22.3	235.9	55.7	0.0	100	19.2	224.6	57.3	0.3	100	7.3	4.7	58.6
RENK RK488YGCB	95		18.6	223.1	57.3	0.4	99	16.5	202.6	57.4	2.0	100	21.9	224.6	54.9	0.7	100	19.0	216.8	56.5	1.0	100	7.0	4.4	59.3
RENK RK556	97		20.1	212.7	56.8	1.1	94	18.3	224.9	56.2	0.4	99	23.5	209.0	53.7	0.7	93	20.6	215.6	55.5	0.7	95	8.4	3.8	59.3
RENK RK556RR	97		20.0	236.7	56.9	0.0	100	18.5	225.3	56.0	0.5	100	24.5	215.6	53.3	1.4	100	21.0	225.9	55.4	0.6	100	8.2	3.8	59.6
RENK RK632YGCB	99		20.3	245.0	56.6	0.4	100	18.8	232.7	57.2	1.8	100	25.1	223.6	53.6	0.0	100	21.4	233.8	55.8	0.7	100	7.1	4.3	59.9
STEYER 2050	97		19.1	210.7	56.7	0.8	90	18.2	209.0	56.5	0.7	95	23.5	198.7	52.8	0.4	94	20.3	206.1	55.3	0.6	93	7.6	3.7	60.6
STEYER 9201	92		19.1	220.0	57.5	0.0	100	17.0	208.6	56.7	0.0	100	21.9	201.4	55.2	0.7	99	19.3	210.0	56.5	0.2	100	8.2	3.1	59.0
Average			19.1	224.1	57.3	0.4	99	17.1	208.5	57.6	1.0	100	22.9	220.1	54.6	0.4	99	19.7	217.6	56.5	0.6	99	7.3	4.0	59.8
AGRIGOLD A6235Bt	99	P250	19.8	217.9	56.0	0.0	99	18.4	216.1	56.8	0.0	100	25.3	213.9	52.9	0.0	99	21.2	216.0	55.3	0.0	100	7.6	3.7	59.7
AGRIGOLD A6263	100	P250	21.8	229.9	53.5	1.1	99	20.5	229.6	52.4	0.7	100	27.7	231.3	50.3	0.7	100	23.3	230.3	52.1	0.8	100	7.4	3.9	59.9
BAYSIDE 2295 P250	95	P250	18.5	225.1	57.0	0.4	99	17.1	196.2	57.5	0.7	99	21.7	220.8	54.9	1.4	98	19.1	214.0	56.5	0.8	99	7.3	4.4	58.7
BAYSIDE NorthGro NG5518RR	95	P250	19.8	211.0	56.1	0.4	100	18.8	228.0	56.1	0.8	100	24.8	225.4	53.4	0.0	100	21.2	221.5	55.2	0.4	100	7.8	3.4	60.3
BAYSIDE Super 93 P250	93	P250	18.0	228.3	57.3	0.0	100	17.4	209.8	56.8	0.1	100	22.7	221.3	53.8	0.7	100	19.4	219.8	55.9	0.3	100	7.2	4.2	60.4
BROWN 5130YGCB	100	C250	21.6	220.8	55.5	0.0	100	19.3	217.9	56.2	0.0	100	27.4	225.7	52.6	0.4	100	22.8	221.5	54.7	0.1	100	7.5	3.6	59.7
BROWN 5636	98	C250	22.0	248.7	54.6	0.7	100	19.4	229.9	56.0	0.7	100	25.9	222.1	52.7	0.0	100	22.4	233.6	54.4	0.5	100	7.2	3.3	61.1
DAIRYLAND STEALTH-1503	100	P250	21.7	244.9	55.3	0.4	100	19.4	232.6	56.0	0.1	100	26.4	239.9*	52.5	0.4	100	22.5	239.1	54.6	0.3	100	6.9	3.2	61.6
DAIRYLAND STEALTH-1598	98	P250	20.1	236.5	57.1	0.0	100	17.9	225.3	56.5	0.7	100	24.0	225.7	53.7	0.4	100	20.7	229.2	55.8	0.4	100	8.1	3.8	59.8
DAIRYLAND STEALTH-5194	94	P250	18.4	223.3	58.0	1.1	99	15.9	199.1	58.3	0.8	99	21.5	226.0	56.6	0.4	100	18.6	216.2	57.6	0.7	100	6.9	4.3	59.0
DAIRYLAND STEALTH-5497	98	P250	19.1	220.3	57.7	0.4	100	16.1	204.5	58.3	0.4	100	22.5	226.2	54.8	0.4	100	19.2	217.0	56.9	0.4	100	6.6	4.4	59.8
DEKALB DK440	94	P250	18.1	218.9	56.7	1.8	100	15.9	202.4	57.2	0.7	100	22.2	237.2*	55.0	0.4	100	18.7	219.5	56.3	0.9	100	7.0	4.1	59.9
DEKALB DKC44-46 (RR2/YGCB)	94	P250	18.8	225.6	57.0	1.1	100	16.6	212.6	57.3	2.7	100	23.3	231.8	55.0	0.0	100	19.5	223.4	56.4	1.3	100	6.6	3.9	60.0
DEKALB DKC46-28 (RR2)	96	P250	19.1	234.4	57.8	1.1	100	16.1	200.6	58.9	8.3	100	23.2	238.6*	55.6	0.7	100	19.5	224.5	57.4	3.4	100	6.4	3.8	61.0
DEKALB DKC47-10 (RR2/YGCB)	97	P250	18.8	224.7	58.1	1.1	100	15.5	190.7	59.1	10.4	100	24.3	221.1	55.4	0.4	99	19.5	212.2	57.5	4.0	100	6.6	4.1	60.7
DEKALB DKC48-52 (RR2)	98	P250	19.2	236.0	57.1	0.7	99	16.4	209.4	57.5	0.8	100	23.6	236.6*	53.8	0.7	100	19.7	227.3	56.2	0.7	100	6.2	3.8	61.0
DEKALB DKC50-18 (YGCB)	100	P250	19.8	234.5	57.1	0.7	100	17.0	211.8	58.2	1.6	100	25.0	234.1	54.5	0.0	100	20.6	226.8	56.6	0.8	100	6.6	3.7	60.4
DEKALB DKC50-20 (RR2/YGCB)	100	P250	19.7	238.3	58.7	0.0	100	17.4	218.3	58.4	3.1	100	25.0	236.5*	54.4	0.0	100	20.7	231.0	57.1	1.0	100	6.8	4.1	60.4
DYNAGRO 53F49	92	P250	18.8	227.1	57.6	1.1	100	16.3	211.0	58.3	0.0	100	21.7	220.5	56.2	0.7	100	18.9	219.5	57.4	0.6	100	7.5	4.4	58.6
DYNAGRO 53K34	93	P250	18.7	213.1	59.0	0.4	100	17.2	191.3	58.8	0.3	100	22.7	214.2	56.3	0.0	100	19.5	206.2	58.0	0.2	100	7.5	3.4	60.4
DYNAGRO 53K98	94	P250	18.5	226.4	57.6	0.4	99	16.4	199.6	58.0	0.7	100	22.4	227.6	55.4	1.1	100	19.1	217.9	57.0	0.7	100	7.0	4.3	59.5
DYNAGRO 54K11	96	P250	19.6	230.6	56.1	0.4	99	18.6	220.4	55.8	0.4	100	24.1	239.6*	54.1	0.7	100	20.8	230.2	55.3	0.5	100	7.8	3.5	60.4
GARST 8881RR	95	P250	18.6	224.5	58.3	0.7	100	17.0	208.3	58.1	0.2	100	21.8	224.4	55.2	0.0	100	19.1	219.1	57.2	0.3	100	7.3	4.6	58.9
GREAT LAKES 4521RR	95	P250	18.5	221.7	57.7	0.4	100	16.7	204.1	57.9	2.3	100	22.1	227.2	55.1	0.0	100	19.1	217.7	56.9	0.9	100	7.1	4.3	59.2
GREAT LAKES 5088Bt	100	P250	19.4	219.8	56.1	0.7	99	19.2	220.9	55.6	0.3	100	25.6	209.0	53.2	0.0	98	21.4	216.6	54.9	0.3	99	7.6	3.5	59.7

2004			INGHAM - Early				KENT - Early				SAGINAW - Early				EARLY TRIAL AVERAGE				QUALITY						
Brand / Hybrid	RM	TRT	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	Prot	Oil	Strch
HIGH CYCLE HC5B353	100	P250	21.7	272.5**	55.9	0.0	99	19.4	248.4**	56.5	1.1	99	25.6	249.8**	52.9	0.7	100	22.2	256.9**	55.1	0.6	99	7.3	3.8	60.4
HIGH CYCLE HC7525YGCB	100	P250	19.8	242.2	57.8	0.4	100	18.1	216.9	57.4	1.7	100	23.5	223.9	53.8	0.4	99	20.4	227.7	56.3	0.8	100	7.2	3.8	60.8
HIGH CYCLE HC7560YGCB	102	P250	20.4	235.9	56.9	0.4	100	17.6	200.6	56.2	1.4	100	24.9	240.8 *	53.4	0.0	100	21.0	225.8	55.5	0.6	100	7.1	4.5	59.1
HIGH CYCLE HC7592RR/YGCB	100	P250	22.7	221.6	56.2	0.4	100	20.2	210.4	56.8	2.1	100	25.9	230.3	53.7	0.0	99	22.9	220.8	55.6	0.8	100	6.7	3.3	62.0
HYLAND SEEDS HL2368	90	P250	18.5	217.8	57.7	0.7	100	16.8	192.6	57.4	0.2	100	21.0	225.6	54.8	0.4	100	18.8	212.0	56.7	0.4	100	6.9	4.3	59.5
HYLAND SEEDS HL2507	100	P250	19.3	231.8	56.1	0.4	98	18.8	202.6	55.4	1.1	99	25.9	225.5	52.4	0.8	97	21.4	219.9	54.6	0.7	98	7.9	4.3	58.9
HYLAND SEEDS HLB282	92	P250	18.9	222.2	57.1	0.0	96	17.7	207.9	56.9	2.3	99	22.8	229.6	54.3	0.0	98	19.8	219.9	56.1	0.8	98	7.1	4.6	59.1
HYLAND SEEDS HLB292	100	P250	20.0	233.8	56.5	0.4	96	19.1	213.2	55.3	0.0	97	26.6	218.3	52.4	0.0	90	21.9	221.8	54.7	0.1	94	7.7	4.1	60.1
TRELAY 4200	95	P250	19.2	231.1	57.5	0.4	100	18.3	223.6	56.1	0.8	100	24.5	234.6	53.4	0.7	100	20.7	229.8	55.7	0.6	100	7.2	3.6	61.1
Average	250		19.6	227.8	56.9	0.5	99	17.7	210.9	57.0	1.4	100	24.0	224.5	54.1	0.4	99	20.5	222.0	56.0	0.8	100	7.2	3.9	60.0
BAYSIDE Super 93 P1250	93	P1250	18.4	225.9	57.3	0.0	100	17.8	201.2	56.3	1.1	100	23.0	225.4	53.6	0.0	98	19.7	217.5	55.8	0.4	99	7.3	4.0	60.3
GENESIS 2D100CRWYGCB	95	C1250	21.0	229.2	56.5	0.4	100	18.5	207.2	56.6	0.1	100	24.5	222.8	54.1	0.4	100	21.3	219.7	55.7	0.3	100	8.1	3.4	59.6
GENESIS 2D92CRWRR	93	C1250	18.7	207.1	58.9	0.0	100	15.9	203.9	59.2	0.4	100	21.8	222.5	56.6	1.1	100	18.8	211.2	58.2	0.5	100	7.6	3.5	60.0
GENESIS 2D93RRYGCB	93	C1250	18.9	212.7	58.4	0.4	100	16.8	194.1	59.3	2.1	100	22.3	222.9	56.5	0.0	100	19.3	209.9	58.1	0.8	100	7.2	3.4	60.2
GENESIS 2D97RRYGCB	97	C1250	19.4	226.3	56.8	0.0	99	18.0	223.1	56.6	0.4	100	24.9	225.3	53.7	0.7	100	20.8	224.9	55.7	0.4	100	8.0	3.3	60.0
GENESIS 3C100YGCB	100	C1250	21.6	229.1	55.7	0.7	99	20.1	230.1	55.7	0.2	99	27.0	231.9	52.2	0.0	100	22.9	230.4	54.5	0.3	99	7.7	3.4	60.2
GENESIS 3C96YGCB	96	C1250	19.2	221.9	58.5	0.0	99	17.3	206.9	59.2	0.1	100	22.3	203.0	57.4	0.0	100	19.6	210.6	58.4	0.0	100	8.1	3.1	59.4
GENESIS 3CX96YGCB	94	C1250	18.9	219.0	58.2	0.0	99	16.9	191.5	58.3	0.3	95	22.4	192.6	56.6	0.4	100	19.4	201.0	57.7	0.2	98	8.3	3.3	58.8
GENESIS 3D92YGCB	92	C1250	18.7	223.4	57.7	0.7	100	16.6	200.7	57.6	1.4	100	20.9	212.6	56.5	3.8	100	18.7	212.2	57.3	2.0	100	8.0	3.9	58.7
NK Brand N36-R6	96	C1250	20.3	229.1	54.3	0.4	100	18.6	217.9	54.1	1.7	100	25.8	231.5	50.6	0.7	100	21.6	226.2	53.0	0.9	100	7.6	3.9	60.2
NK Brand N43-C4	98	C1250	19.7	231.1	55.2	0.0	99	18.3	213.6	55.4	0.8	99	24.2	230.9	53.7	0.0	100	20.7	225.2	54.8	0.3	100	7.5	3.6	59.4
NK Brand N45-A6	100	C1250	19.1	236.8	55.3	0.4	100	16.9	214.7	56.0	0.7	100	24.1	242.4 *	52.9	0.4	100	20.1	231.3	54.7	0.5	100	6.8	4.5	58.5
PIONEER 37F16	98	P1250	19.7	224.5	57.0	0.7	100	19.4	201.7	55.7	0.1	100	24.3	216.2	53.8	0.4	100	21.2	214.1	55.5	0.4	100	7.5	4.2	58.5
PIONEER 38B85	96	P1250	20.8	217.8	58.4	2.1	100	16.8	210.9	59.6	1.1	100	23.4	223.5	56.6	0.4	100	20.3	217.4	58.2	1.2	100	7.4	3.9	59.5
Average	1250		19.6	223.9	57.0	0.4	100	17.7	208.4	57.1	0.7	100	23.6	221.7	54.6	0.6	100	20.3	218.0	56.3	0.6	100	7.6	3.7	59.5
AVERAGE			19.5	226.5	57.1	0.4	99	17.5	210.2	57.2	1.1	100	23.6	224.3	54.4	0.4	99	20.2	220.3	56.2	0.7	99	7.3	3.9	59.9
HIGHEST			22.7	272.5	59.0	2.1	100	20.5	248.4	59.6	10.4	100	27.7	249.8	57.5	3.8	101	23.3	256.9	58.6	4.0	100	8.4	4.7	62.0
LOWEST			18.0	207.1	53.5	0.0	90	15.5	188.5	52.4	0.0	95	20.9	192.6	50.3	0.0	90	18.5	201.0	52.1	0.0	93	6.2	3.1	58.5
CV (%)			3.5	4.2	1.3			4.1	5.1	1.2			2.6	5.3	1.5			3.6	5.2	1.4			5.4	6.0	1.2
LSD (.05%)			0.8	11.1	0.9			0.9	12.6	0.8			0.7	13.8	1.0			0.5	7.7	0.5			0.5	0.3	0.8

** Highest Yielding Hybrid

* Not Significantly Different from Highest Yielding Hybrid

2 Year AVERAGES			INGHAM - Early				KENT - Early				SAGINAW - Early				EARLY TRIAL AVERAGE				QUALITY						
Brand / Hybrid	RM		%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	Prot	Oil	Strch
BAYSIDE 1700	100		20.2	220.6 *	56.5	0.3	99	20.9	209.1	55.9	0.3	98	23.2	199.5	53.7	1.2	97	21.4	209.7	55.4	0.6	98	8.3	3.8	59.7
BAYSIDE 1795	95		18.5	209.9	56.8	2.0	98	20.1	213.3	56.2	0.6	96	21.0	208.8	54.9	1.0	98	19.9	210.7	55.9	1.2	97	8.0	3.9	60.1
BAYSIDE Super 93	93		18.6	206.3	56.3	1.2	99	19.4	209.6	55.7	1.7	100	20.7	199.1	54.5	1.4	99	19.6	205.0	55.5	1.4	99	7.2	3.7	61.0
BROWN 5130YGCB	100		21.1	210.3	54.9	0.2	99	22.6	210.6	54.7	0.1	97	25.5	205.1	52.9	0.8	97	23.1	208.6	54.2	0.4	98	8.2	3.6	59.2
BROWN 5636	98		21.2	212.5	54.5	0.8	89	22.3	193.5	54.4	0.4	80	24.8	197.4	52.4	0.2	88	22.8	201.1	53.8	0.5	86	7.9	3.3	60.4
DAIRYLAND STEALTH-1598	98		19.0	224.9**	56.4	0.4	97	20.3	209.8	55.2	1.2	92	21.2	205.3	54.8	1.3	95	20.1	213.3 *	55.5	1.0	95	8.4	3.8	59.5
DAIRYLAND STEALTH-5497	98		18.4	208.9	57.1	3.1	99	18.4	200.5	56.8	0.9	94	21.4	211.8 *	54.9	1.1	98	19.4	207.1	56.3	1.7	97	7.1	4.3	59.2
DEKALB DKC46-28 (RR2)	96		18.8	218.7 *	57.7	2.8	100	18.3	197.9	57.4	4.9	98	21.3	217.3 *	56.0	1.9	100	19.4	211.3 *	57.0	3.2	99	7.1	3.9	60.4
DEKALB DKC47-10 (RR2/YGCB)	97		18.8	213.6	58.3	2.1	100	17.4	193.7	58.2	5.8	100	21.6	207.3	56.2	1.2	97	19.3	204.9	57.6	3.0	99	7.2	4.1	59.8
DEKALB DKC50-18 (YGCB)	100		19.7	217.6 *	56.7	1.6	100	19.2	214.6	56.8	1.2	99	22.0	218.1**	55.2	0.5	98	20.3	216.8**	56.2	1.1	99	7.3	3.9	59.7

- 2 Year & 3 Year Averages Continued on 14.

TABLE 2E - Continued from page 13

INGHAM, KENT & SAGINAW COUNTY GRAIN TRIALS - EARLY (100 Day and Earlier)

ZONE 2

2 Year AVERAGES		INGHAM - Early				KENT - Early				SAGINAW - Early				EARLY TRIAL AVERAGE				QUALITY						
Brand / Hybrid	RM	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	Prot	Oil	Strch
DYNAGRO 53F49	92	18.0	214.3	57.7	2.2	99	18.4	202.4	57.2	0.6	97	20.4	204.6	56.3	1.7	99	18.9	207.1	57.1	1.5	98	7.7	4.4	58.4
GENESIS 3C100YGCB	100	20.9	210.1	55.7	0.8	99	22.8	224.7**	54.6	0.1	99	25.2	207.3	53.0	0.7	98	22.9	214.0 *	54.4	0.5	99	8.2	3.5	59.6
GENESIS 3C96YGCB	96	18.5	207.0	58.5	1.0	99	18.9	206.2	58.0	0.1	100	20.4	192.4	57.5	0.3	99	19.3	201.9	58.0	0.5	99	8.5	3.2	59.0
GOLDEN HARVEST H-7298RR	98	18.7	209.1	57.0	2.3	98	20.8	219.5 *	56.2	0.7	92	21.8	208.8	54.2	0.8	97	20.4	212.5 *	55.8	1.3	96	8.1	3.6	59.8
HIGH CYCLE HC7525YGCB	100	19.2	224.2 *	57.5	1.2	100	19.9	212.9	56.5	0.8	98	20.6	202.0	55.3	1.4	99	19.9	213.0 *	56.5	1.1	99	8.0	4.1	59.4
HYLAND SEEDS HL2368	90	18.0	201.5	56.8	2.6	100	18.8	191.7	56.3	1.5	99	19.7	205.1	55.4	1.9	97	18.8	199.4	56.2	2.0	99	7.5	4.4	58.6
HYLAND SEEDS HL2507	100	19.5	221.3 *	55.2	0.9	99	20.8	198.8	55.1	0.9	98	22.1	197.2	53.8	1.4	95	20.8	205.8	54.7	1.1	97	8.6	4.3	58.3
HYLAND SEEDS HLB292	100	19.1	220.9 *	56.3	1.0	98	20.8	210.5	55.2	0.2	94	22.6	200.2	54.0	0.3	94	20.8	210.5	55.2	0.5	95	8.5	4.1	59.0
NK Brand N43-C4	98	19.3	219.1 *	54.7	0.8	99	21.1	203.2	53.9	1.4	97	21.6	210.7 *	53.8	0.7	98	20.6	211.0	54.1	1.0	98	8.1	3.9	58.7
NK Brand N45-A6	100	18.8	220.6 *	54.7	1.2	100	19.2	210.4	55.0	0.6	97	20.9	210.8 *	53.8	4.0	98	19.6	213.9 *	54.5	1.9	98	7.3	4.5	58.2
PIONEER 37F16	98	19.5	202.2	56.0	1.3	99	21.3	201.4	55.1	0.2	93	21.6	211.4 *	54.8	0.5	98	20.8	205.0	55.3	0.7	97	8.2	4.3	57.7
RENK RK488YGCB	95	18.6	212.6	56.5	2.5	98	18.8	202.9	56.3	1.2	96	20.8	209.9 *	55.1	0.7	98	19.4	208.5	56.0	1.4	97	7.4	4.4	61.8
RENK RK556	97	19.1	206.8	56.5	1.3	97	20.1	219.2 *	55.4	1.3	98	20.8	199.3	54.8	1.2	95	20.0	208.4	55.6	1.3	97	8.3	3.7	59.7
TRELAY 4200	95	19.0	211.1	57.0	0.9	98	20.1	211.1	55.2	0.8	92	21.9	208.6	54.2	1.4	97	20.3	210.3	55.5	1.0	96	7.8	3.7	60.4
AVERAGE		19.2	213.5	56.5	1.4	98	20.0	207.0	55.9	1.2	96	21.8	205.7	54.6	1.2	97	20.3	208.7	55.7	1.3	97	7.9	3.9	59.5
HIGHEST		21.2	224.9	58.5	3.1	100	22.8	224.7	58.2	5.8	100	25.5	218.1	57.5	4.0	100	23.1	216.8	58.0	3.2	99	8.6	4.5	61.8
LOWEST		18.0	201.5	54.5	0.2	89	17.4	191.7	53.9	0.1	80	19.7	192.4	52.4	0.2	88	18.8	199.4	53.8	0.4	86	7.1	3.2	57.7
CV (%)		3.8	10.3	0.8	2.6	2.2	5.2	11.2	0.9	2.5	5.4	3.6	9.5	0.8	2.1	3.4	4.5	10.8	0.9	2.4	3.9	5.4	4.5	5.6
LSD (.05%)		0.6	9.6	0.7	1.6	1.4	0.8	9.9	0.7	1.5	3.3	0.7	8.8	0.6	1.3	2.1	0.4	5.7	0.4	0.8	1.4	0.3	0.2	1.0

3 Year AVERAGES		INGHAM - Early				KENT - Early				SAGINAW - Early				EARLY TRIAL AVERAGE				QUALITY						
Brand / Hybrid	RM	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	Prot	Oil	Strch
BAYSIDE 1700	100	18.8	201.7	56.9	0.7	99	19.9	187.4	56.2	0.3	98	22.1	200.0	54.7	1.4	98	20.3	196.4	55.9	0.8	98	8.4	3.7	59.5
BAYSIDE 1795	95	17.8	200.3	57.1	1.6	97	19.1	178.3	56.7	0.8	95	20.2	194.5	55.6	1.1	94	19.0	191.1	56.4	1.1	96	8.1	3.8	60.1
BAYSIDE Super 93	93	17.7	196.5	56.5	1.5	100	18.8	188.7	55.7	1.3	99	19.8	193.1	55.2	1.5	98	18.8	192.8	55.8	1.4	99	7.4	3.7	60.9
DAIRYLAND STEALTH-1598	98	18.0	208.9 *	56.9	1.1	96	19.5	179.5	55.8	1.1	90	20.2	202.1 *	55.4	1.0	93	19.3	196.8	56.1	1.1	93	8.3	3.7	59.8
GENESIS 3C100YGCB	100	19.5	201.3	56.7	0.7	99	21.4	200.7**	55.6	0.0	99	23.7	209.3**	54.4	0.7	99	21.5	203.8**	55.6	0.5	99	8.3	3.5	59.6
GENESIS 3C96YGCB	96	17.7	192.0	58.7	1.2	95	18.3	174.3	58.4	0.1	97	19.8	192.4	58.1	0.3	96	18.6	186.3	58.4	0.5	96	8.6	3.3	59.3
GOLDEN HARVEST H-7298RR	98	17.9	196.2	57.3	2.4	96	19.8	180.5	56.4	0.7	90	20.8	199.2	55.4	0.9	94	19.5	192.0	56.4	1.4	93	8.1	3.5	60.1
HIGH CYCLE HC7525YGCB	100	18.3	214.8**	57.7	1.1	100	19.5	189.5 *	56.5	0.8	96	20.2	201.1	55.8	1.6	99	19.3	201.8 *	56.7	1.2	98	8.0	4.1	59.7
HYLAND SEEDS HL2507	100	18.3	205.0	56.0	1.5	98	19.9	174.6	55.4	1.0	94	21.0	190.8	54.7	2.1	93	19.7	190.1	55.4	1.5	95	8.8	4.2	58.4
NK Brand N43-C4	98	18.2	205.5	55.0	0.7	99	20.0	179.7	53.7	1.1	96	20.6	197.0	54.2	0.6	97	19.6	194.1	54.3	0.8	97	8.3	3.9	58.5
RENK RK556	97	18.2	199.6	56.9	1.2	96	19.1	190.0 *	55.9	1.0	98	19.9	194.2	55.6	1.1	93	19.1	194.6	56.1	1.1	96	8.3	3.7	59.8
AVERAGE		18.2	199.8	56.9	1.2	98	19.6	180.4	56.0	0.7	96	20.7	195.8	55.4	1.1	96	19.5	192.7	56.1	1.0	96	8.2	3.7	59.6
HIGHEST		19.5	214.8	58.7	2.4	100	21.4	200.7	58.4	1.3	99	23.7	209.3	58.1	2.1	99	21.5	203.8	58.4	1.5	99	8.8	4.2	60.9
LOWEST		17.7	192.0	55.0	0.7	95	18.3	174.3	53.7	0.0	90	19.8	190.8	54.2	0.3	93	18.6	186.3	54.3	0.5	93	7.4	3.3	58.4
CV (%)		3.3	10.0	0.7	4.6	3.1	4.7	15.3	0.9	2.4	5.6	3.7	10.0	0.8	2.3	4.3	4.2	14.7	0.9	3.3	4.4	5.2	4.7	4.7
LSD (.05%)		0.4	7.9	0.5	2.3	1.6	0.6	11.2	0.6	1.1	2.8	0.6	7.8	0.5	1.1	2.2	0.3	6.5	0.3	0.9	1.3	0.3	0.2	0.8

** Highest Yielding Hybrid

* Not Significantly Different from Highest Yielding Hybrid