

TABLE 2L.

INGHAM, KENT & SAGINAW COUNTY GRAIN TRIALS - LATE (101 Day and Later)

ZONE 2

2004			INGHAM - Late				KENT - Late				SAGINAW - Late				LATE TRIAL AVERAGE				QUALITY						
Brand / Hybrid	RM	TRT	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	Prot	Oil	Strch
BAYSIDE NorthGro NG5570RR	101		22.2	236.8*	55.5	0.7	95	19.9	214.9	56.2	0.7	97	26.6	202.4	53.2	0.4	98	22.9	218.0	55.0	0.6	96	7.3	3.1	60.5
BAYSIDE NorthGro NGEX2785YG	106		26.0	227.7	51.1	0.0	92	24.6	213.2	51.3	0.4	95	30.6	203.0	49.9	0.0	98	27.0	214.6	50.7	0.1	95	8.0	3.6	60.3
BAYSIDE Super 105	105		24.1	235.7	51.8	0.7	98	24.3	227.4*	51.0	1.1	99	29.2	217.0	50.0	1.1	99	25.9	226.7	50.9	0.9	99	7.0	4.0	60.2
BAYSIDE Super 107	104		23.3	233.6	54.0	0.0	98	20.8	217.6	53.2	0.7	100	28.1	211.6	50.4	0.4	100	24.0	220.9	52.5	0.4	99	7.5	4.2	60.1
CORN BELT C57B8Bt	107		25.0	225.6	51.7	0.4	94	24.4	226.2*	51.6	0.0	94	30.1	213.8	49.6	0.4	94	26.5	221.9	51.0	0.2	94	8.3	3.5	59.7
GARST 8625	104		23.9	234.7	54.4	0.7	100	20.8	221.4	54.5	0.7	100	27.4	207.1	51.7	0.0	100	24.0	221.0	53.5	0.5	100	8.1	3.9	60.2
GARST NE634IT	104		23.1	243.6*	53.8	0.0	93	21.1	231.9*	53.9	0.4	99	25.8	210.6	52.8	0.0	91	23.3	228.7	53.5	0.1	94	7.5	4.0	60.2
GOLDEN HARVEST H-9006Bt	110		26.7	238.3*	50.7	1.4	100	21.6	215.8	52.3	3.8	99	29.2	217.8	50.6	0.0	100	25.8	224.0	51.2	1.7	100	7.5	4.1	60.4
LEGACY 35L25	102		24.4	223.9	52.5	0.4	100	22.2	221.6	52.9	0.4	100	29.0	204.9	50.8	0.0	100	25.2	216.8	52.0	0.2	100	7.0	3.6	61.3
LEGACY 35L35	104		24.0	236.2	54.1	0.4	98	20.2	212.9	54.7	0.0	100	27.4	220.3	51.3	0.0	99	23.8	223.1	53.4	0.1	99	7.9	3.8	60.0
PARTNERS BRAND 495YGCB	103		23.6	217.8	53.7	0.4	100	21.7	212.7	53.8	2.4	100	27.2	182.0	52.0	1.1	100	24.1	204.1	53.2	1.3	100	8.1	3.8	59.0
PARTNERS BRAND 511	101		20.3	230.1	56.0	0.7	100	17.5	186.2	55.2	0.7	100	27.2	206.5	51.9	0.4	99	21.7	207.6	54.3	0.6	100	6.6	4.1	61.7
PARTNERS BRAND 525HX1	102		23.1	240.8*	52.6	0.7	100	19.8	217.6	53.0	1.1	100	27.6	221.2	50.4	0.4	100	23.5	226.5	52.0	0.7	100	6.7	3.7	61.9
PARTNERS BRAND 528YGCB	104		23.8	237.1*	53.7	0.0	100	20.6	225.9*	54.0	0.7	100	28.0	209.1	51.8	0.4	100	24.2	224.0	53.2	0.4	100	7.9	3.8	60.1
PARTNERS BRAND 580	105		25.8	220.0	51.4	1.1	100	24.3	225.1	52.7	0.0	100	31.1	203.1	50.4	0.4	100	27.0	216.1	51.5	0.5	100	6.7	3.8	60.7
RENK RK636RRYGCB	102		21.1	218.6	54.8	1.1	100	19.3	204.0	54.9	1.8	100	26.8	202.3	52.1	0.4	99	22.4	208.3	53.9	1.1	100	6.7	4.0	60.6
RENK RK636YGCB	102		21.8	222.0	54.1	0.7	99	19.0	200.7	54.3	0.7	100	26.0	218.0	51.5	0.4	100	22.3	213.6	53.3	0.6	100	7.3	3.8	60.0
RENK RK652LLYGCB	103		22.6	233.9	54.3	0.4	100	19.7	214.0	53.8	0.7	100	26.0	214.7	52.7	0.0	99	22.8	220.9	53.6	0.4	100	6.4	3.3	61.7
RENK RK772YGCB	104		20.1	239.6*	56.0	0.0	100	18.5	198.9	54.1	5.9	100	26.4	211.3	52.3	0.4	100	21.7	216.6	54.1	2.1	100	7.3	4.6	59.1
STEYER 2355	105		25.2	251.6**	52.0	0.4	99	22.2	222.8	52.2	1.1	100	28.1	208.6	49.9	0.4	100	25.2	227.7	51.4	0.6	100	7.4	3.6	59.8
VIGORO V43Y31	103		22.2	247.6*	55.6	0.4	98	20.4	201.1	55.9	6.3	100	26.6	212.6	52.6	0.0	100	23.0	220.4	54.7	2.2	99	7.4	4.1	60.1
Average			23.4	233.1	53.5	0.5	98	21.1	214.8	53.6	1.4	99	27.8	209.4	51.3	0.3	99	24.1	219.1	52.8	0.7	99	7.4	3.8	60.4
MYCOGEN 2G626	105	C125	23.4	235.9	54.3	0.4	100	20.7	220.5	53.5	0.4	100	29.0	211.3	51.6	0.0	100	24.3	222.5	53.1	0.2	100	7.8	4.1	60.0
MYCOGEN 2R570	104	C125	22.1	241.6*	53.3	0.0	100	20.2	228.9*	52.7	0.4	100	26.7	228.2	50.0	0.4	100	23.0	232.9*	52.0	0.2	100	6.9	3.6	61.6
RUPP XR1609	101	C125	23.6	237.9*	53.4	0.0	99	21.6	219.8	54.1	2.4	83	28.1	225.8	51.4	0.4	100	24.4	227.8	53.0	0.9	94	7.1	3.6	61.4
RUPP XR8619	102	C125	22.3	221.8	56.3	0.0	100	19.9	214.1	55.9	0.0	100	27.2	206.7	51.5	0.4	100	23.1	214.2	54.5	0.1	100	7.7	3.5	59.8
RUPP XR8682	106	C125	25.5	242.2*	50.0	1.1	100	24.7	226.3*	51.4	2.4	100	30.1	219.1	49.3	0.0	99	26.8	229.2*	50.2	1.2	100	7.0	3.6	60.8
RUPP XS1650	106	C125	25.3	242.0*	53.2	1.1	99	22.9	224.4	53.8	1.4	100	29.8	207.1	51.3	0.7	99	26.0	224.5	52.8	1.1	99	7.8	4.0	59.7
VIGORO V4530	105	C125	24.1	243.9*	53.1	0.4	100	21.7	224.5	53.4	0.4	100	28.9	222.2	50.2	0.4	100	24.9	230.2*	52.2	0.4	100	6.9	3.6	61.4
VIGORO V46Y41	105	C125	23.7	228.0	53.2	0.0	100	22.5	220.1	52.9	0.0	100	29.0	219.4	51.0	0.0	100	25.1	222.5	52.4	0.0	100	7.1	3.6	60.9
Average		125	23.7	236.6	53.3	0.4	100	21.8	222.3	53.4	0.9	98	28.6	217.5	50.8	0.3	100	24.7	225.5	52.5	0.5	99	7.3	3.7	60.7
AGRIGOLD A6333Bt	104	P250	25.7	227.9	50.8	0.4	100	22.7	219.0	52.2	2.4	100	29.5	219.4	49.7	0.0	100	25.9	222.1	50.9	0.9	100	7.1	3.9	60.2
AGRIGOLD A6341	104	P250	24.0	237.2*	52.1	0.4	100	21.9	229.4*	52.3	0.4	100	29.9	198.7	50.0	0.4	100	25.3	221.8	51.5	0.4	100	6.7	3.6	60.1
BROWN 5345YGCB	101	C250	23.3	213.7	54.7	0.4	91	20.5	205.8	53.8	1.5	94	27.5	202.1	51.5	0.0	83	23.8	207.2	53.3	0.6	89	8.3	4.0	59.4
BROWN 6220	102	C250	22.5	220.0	53.0	0.0	100	22.1	215.3	52.9	0.0	100	28.5	215.6	51.1	0.4	100	24.3	216.9	52.4	0.1	100	6.3	3.6	61.9
BROWN 6850YGCB	104	C250	25.8	244.9*	51.1	0.4	99	25.3	219.6	51.3	4.2	100	29.9	202.3	50.2	0.4	100	27.0	222.3	50.9	1.6	100	7.6	3.8	60.6
DAIRYLAND STEALTH-1606	107	P250	24.5	243.5*	52.3	0.4	100	22.3	223.6	52.3	2.2	97	28.9	215.4	50.7	0.4	100	25.2	227.5	51.8	1.0	99	7.2	3.5	60.0
DAIRYLAND STEALTH-5104	104	P250	23.9	236.9*	53.6	0.4	100	19.9	214.9	55.5	0.0	100	28.0	199.3	52.3	0.0	100	23.9	217.0	53.8	0.1	100	7.3	3.4	60.6
DEKALB DKC51-45 (RR2)	101	P250	21.2	233.8	56.7	0.0	99	18.5	204.8	56.8	3.1	100	25.3	227.3	53.9	0.4	100	21.7	221.9	55.8	1.2	100	6.7	3.9	60.4
DEKALB DKC52-21 (YGCB)	102	P250	20.7	230.8	55.9	0.0	100	19.0	202.0	56.5	1.1	100	24.9	206.4	53.2	0.7	100	21.5	213.0	55.2	0.6	100	6.4	4.1	61.0
DEKALB DKC52-47 (RR2/YGCB)	102	P250	21.0	230.4	55.6	0.0	100	18.3	216.0	55.8	0.7	100	25.0	229.3*	53.8	0.0	100	21.4	225.2	55.1	0.2	100	6.2	3.8	61.4
DEKALB DKC53-33 (RR2)	103	P250	21.0	233.5	56.3	0.0	100	19.3	206.9	55.5	3.1	100	25.7	219.3	53.5	0.0	100	22.0	219.9	55.1	1.0	100	6.6	4.0	60.1
DEKALB DKC53-34 (RR2/YGCB)	103	P250	22.4	235.6	54.9	0.0	100	19.8	216.8	55.0	0.7	100	27.3	215.5	52.3	0.0	100	23.2	222.6	54.1	0.2	100	7.0	4.0	60.3
DEKALB DKC54-51 (YGCB)	104	P250	22.1	250.5*	56.6	0.4	100	19.5	219.0	56.3	0.7	100	26.0	229.6*	53.3	0.0	100	22.5	233.0*	55.4	0.4	100	7.7	4.1	59.4
DYNAGRO 55F16	102	P250	20.7	234.0	55.3	0.4	100	18.5	197.9	55.1	1.1	100	25.8	209.0	52.8	1.4	98	21.7	213.6	54.4	0.9	99	7.1	4.0	59.8
DYNAGRO 55P41	102	P250	22.0	226.2	54.1	0.7	100	19.8	210.4	54.2	2.8	100	26.8	227.9	51.9	0.0	100	22.9	221.5	53.4	1.2	100	6.6	4.1	60.4

2004			INGHAM - Late				KENT - Late				SAGINAW - Late				LATE TRIAL AVERAGE				QUALITY						
Brand / Hybrid	RM	TRT	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	Prot	Oil	Strch
GARST 8590IT	105	P250	24.2	234.3	53.8	0.4	100	20.8	225.0	55.9	5.6	100	28.3	212.3	51.7	0.0	100	24.4	223.8	53.8	2.0	100	6.9	4.0	60.6
GARST 8590RR	105	P250	24.3	242.7 *	53.2	0.4	100	22.3	229.3 *	54.3	0.4	100	28.2	194.2	50.8	0.0	100	24.9	222.0	52.8	0.2	100	7.1	3.8	61.4
GREAT LAKES 5377	103	P250	23.3	231.3	53.0	1.1	99	21.4	229.4 *	53.5	0.0	100	29.0	221.0	51.0	0.0	100	24.6	227.2	52.5	0.4	100	6.5	3.4	62.2
GREAT LAKES 5522	105	P250	24.4	217.9	51.9	0.7	99	21.8	225.0	53.3	0.7	100	29.2	207.9	50.2	0.4	100	25.1	216.9	51.8	0.6	100	6.6	3.7	60.4
GREAT LAKES Quad-5BtRR	107	P250	26.2	245.8 *	51.1	2.2	84	23.9	217.3	51.9	1.1	100	30.0	203.9	50.0	0.7	100	26.7	222.3	51.0	1.3	95	7.1	3.6	60.6
HIGH CYCLE HC5B739	104	P250	23.6	239.1 *	53.9	0.7	99	20.2	230.2 *	54.0	0.0	100	27.7	213.1	51.3	0.0	100	23.8	227.4	53.1	0.2	100	6.9	3.4	61.1
HIGH CYCLE HC7601YGCB	103	P250	23.8	249.0 *	54.4	0.4	100	21.2	205.3	54.0	1.1	100	28.3	211.3	52.1	0.0	100	24.4	221.9	53.5	0.5	100	7.7	3.4	60.4
HYLAND SEEDS HL2676	102	P250	25.2	242.4 *	52.6	0.0	100	23.4	225.5 *	52.7	0.7	100	27.9	234.7 *	51.9	0.4	100	25.5	234.2 *	52.4	0.4	100	7.6	4.4	60.4
JUNG 6545YGCB	105	P250	23.7	228.4	53.5	0.7	100	20.3	224.5	55.2	0.0	100	27.9	210.3	52.2	0.0	100	24.0	221.0	53.6	0.2	100	6.8	3.4	61.2
LEGACY 33L26	106	C250	22.1	223.6	54.3	0.4	99	22.4	227.5 *	51.8	2.5	100	26.6	202.2	50.6	0.4	99	23.7	217.8	52.2	1.1	99	8.3	3.4	59.2
PARTNERS BRAND 532	105	C250	23.7	233.7	51.7	0.7	99	20.4	223.5	51.7	1.6	100	27.0	216.9	50.7	0.7	100	23.7	224.7	51.4	1.0	100	7.0	3.3	61.2
TRELAY 7012	105	P250	25.9	237.0 *	52.4	0.0	100	23.0	226.3 *	52.9	1.1	100	28.2	228.3 *	50.9	0.4	100	25.7	230.5 *	52.0	0.5	100	6.9	4.3	61.3
VIGORO EX433003	101	P250	21.6	229.4	54.9	0.0	99	21.2	240.6**	54.1	2.4	100	26.2	241.9**	53.3	1.1	100	23.0	237.3**	54.1	1.2	100	6.2	3.2	63.5
VIGORO EX644010	104	P250	23.8	238.9 *	53.7	0.7	100	20.1	222.3	54.5	1.4	100	28.2	214.4	51.7	0.0	100	24.0	225.2	53.3	0.7	100	7.1	3.3	60.9
Average	250		23.3	234.2	53.7	0.4	99	21.0	219.1	54.0	1.5	100	27.6	214.8	51.7	0.3	99	24.0	222.7	53.1	0.7	99	7.0	3.7	60.7
GENESIS 2C05YGCB	105	C1250	27.1	240.7 *	50.1	0.7	99	24.4	226.8 *	51.1	0.7	100	30.0	211.7	49.8	0.0	100	27.1	226.4	50.3	0.5	100	7.7	3.8	60.2
GENESIS 2D100RRYGCB	100	C1250	22.6	232.7	55.4	0.0	99	20.0	220.7	55.1	0.0	99	28.6	191.9	51.2	0.4	99	23.7	215.1	53.9	0.1	99	8.5	3.5	59.4
NK Brand N50-P5	103	C1250	22.4	238.8 *	53.7	0.4	100	18.9	215.0	55.1	1.1	100	26.6	208.5	51.3	0.0	100	22.6	220.8	53.3	0.5	100	7.2	4.1	59.8
NK Brand N51-Z7	104	C1250	23.0	248.6	53.8	0.0	100	20.0	209.8	53.8	3.8	100	27.9	236.0 *	51.6	0.0	98	23.6	231.5 *	53.0	1.3	99	6.1	3.9	62.2
NK Brand N58-D1	106	C1250	24.9	229.8	51.9	0.7	100	22.5	209.9	53.3	1.4	100	28.3	208.3	51.6	0.0	100	25.3	216.0	52.2	0.7	100	7.1	3.8	59.7
PIONEER 35Y55	106	P1250	23.4	250.0 *	52.1	0.0	100	20.3	219.7	51.6	2.4	100	29.0	220.7	50.7	0.0	100	24.2	230.1 *	51.5	0.8	100	7.7	3.8	59.5
PIONEER 36B09	104	P1250	23.6	236.0	56.4	1.1	98	20.2	205.6	56.2	0.7	100	26.0	208.7	53.5	0.4	100	23.2	216.8	55.4	0.7	99	7.3	3.5	60.0
Average	1250		23.8	239.5	53.3	0.4	99	20.9	215.3	53.7	1.4	100	28.0	212.3	51.4	0.1	100	24.3	222.4	52.8	0.7	100	7.4	3.8	60.1
AVERAGE			23.5	234.7	53.6	0.4	99	21.1	217.7	53.8	1.4	99	27.9	213.1	51.4	0.3	99	24.1	221.8	52.9	0.7	99	7.2	3.8	60.5
HIGHEST			27.1	251.6	56.7	2.2	100	25.3	240.6	56.8	6.3	100	31.1	241.9	53.9	1.4	100	27.1	237.3	55.8	2.2	100	8.5	4.6	63.5
LOWEST			20.1	213.7	50.0	0.0	84	17.5	186.2	51.0	0.0	83	24.9	182.0	49.3	0.0	83	21.4	204.1	50.2	0.0	89	6.1	3.1	59.0
CV (%)			4.5	5.5	1.9			5.3	5.9	1.5			3.0	5.5	1.2			4.2	5.6	1.6			6.4	5.3	1.2
LSD (.05%)			1.2	15.1	1.2			1.3	15.1	1.0			1.0	13.6	0.7			0.7	8.4	0.6			0.5	0.2	0.8

2 Year AVERAGES			INGHAM - Late				KENT - Late				SAGINAW - Late				LATE TRIAL AVERAGE				QUALITY						
Brand / Hybrid	RM		%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	Prot	Oil	Strch
AGRIGOLD A6333Bt	104		24.0	209.1	51.5	0.8	100	25.3	223.9 *	51.4	1.4	98	27.9	209.1	49.8	0.2	98	25.8	214.0	50.9	0.8	99	7.7	3.9	59.4
BAYSIDE Super 105	105		22.2	229.5 *	52.8	0.8	97	24.7	223.6 *	51.7	0.5	95	26.6	197.1	49.8	1.1	94	24.5	216.7 *	51.4	0.8	95	7.5	4.0	59.7
BROWN 5345YGCB	101		22.0	215.4	54.8	0.5	96	22.7	210.7	53.5	0.9	96	25.5	194.4	52.5	1.1	89	23.4	206.8	53.6	0.8	93	8.5	4.0	59.4
BROWN 6850YGCB	104		24.8	231.7 *	51.7	0.3	98	26.0	221.5 *	51.6	2.6	99	27.6	190.5	50.1	1.2	97	26.1	214.6	51.1	1.4	98	7.8	3.8	60.3
CORN BELT C57B8Bt	107		24.3	219.6	51.9	2.2	96	26.9	225.0**	50.9	0.0	95	28.9	196.9	49.0	2.3	95	26.7	213.8	50.6	1.5	95	8.6	3.6	58.9

Brand / Hybrid	RM	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	Prot	Oil	Strch
DAIRYLAND STEALTH-1606	107	23.0	225.5*	52.9	0.8	100	23.7	217.9*	53.1	2.0	97	25.4	200.7	51.6	1.2	99	24.0	214.7	52.5	1.3	99	7.5	3.7	59.6
DAIRYLAND STEALTH-5104	104	22.7	219.1	54.2	1.0	99	23.0	210.8	54.5	0.2	96	25.9	201.6	53.2	0.4	99	23.9	210.5	53.9	0.5	98	7.7	3.6	60.3
DEKALB DKC53-33 (RR2)	103	20.1	226.9*	56.3	0.9	100	21.2	205.6	54.4	2.1	97	23.7	206.1	54.0	0.5	98	21.7	212.9	54.9	1.2	98	7.2	4.1	59.8
DEKALB DKC53-34 (RR2/YGCB)	103	21.2	223.6*	55.1	1.5	100	21.6	214.1	54.3	0.9	99	24.4	202.2	52.9	0.7	98	22.4	213.3	54.1	1.0	99	7.7	4.2	59.1
GARST 8590IT	105	23.1	231.1*	53.8	1.3	100	22.9	216.7*	54.7	3.2	97	26.6	196.6	51.5	1.3	97	24.2	214.8	53.3	1.9	98	7.4	4.0	60.0
GARST 8590RR	105	23.2	217.9	53.5	3.8	99	23.6	221.7*	53.6	0.4	97	26.0	195.0	51.3	0.5	98	24.3	211.5	52.8	1.6	98	7.6	4.0	60.2
GREAT LAKES 5377	103	22.2	220.5	53.5	0.7	99	23.6	222.0*	53.4	0.0	100	27.4	209.8	51.5	0.7	100	24.4	217.4*	52.8	0.5	100	7.0	3.5	61.6
HIGH CYCLE HC7601YGCB	103	22.6	230.0*	54.9	0.2	100	23.6	216.3*	53.9	0.7	99	25.6	204.4	53.1	0.2	100	23.9	216.9*	53.9	0.4	100	7.9	3.5	60.2
JUNG 6545YGCB	105	22.2	219.2	54.5	0.3	100	23.2	221.8*	54.2	0.0	99	25.2	204.5	53.2	0.5	98	23.6	215.2	54.0	0.3	99	7.5	3.5	60.7
NK Brand N50-P5	103	20.9	225.0*	53.7	2.2	100	22.6	212.9	53.3	0.5	99	23.7	200.3	52.2	2.4	100	22.4	212.7	53.1	1.7	100	7.7	4.3	59.3
NK Brand N51-Z7	104	22.6	231.0*	53.2	1.1	100	22.2	216.1*	53.6	2.1	100	24.7	219.1**	52.6	0.0	98	23.2	222.1*	53.1	1.1	99	6.8	4.0	61.3
NK Brand N58-D1	106	23.3	222.5*	52.7	0.7	100	25.2	212.6	52.7	0.9	99	27.3	200.7	52.0	0.7	99	25.3	211.9	52.5	0.8	99	7.8	3.9	58.9
PIONEER 35Y55	106	22.0	228.2*	52.2	1.4	100	24.6	220.2*	51.2	1.6	97	26.2	214.9*	51.2	1.4	98	24.3	221.1*	51.5	1.5	98	8.2	4.0	58.6
RENK RK636YGCB	102	20.6	205.0	54.0	2.0	99	21.4	204.4	53.8	0.4	99	23.6	206.8	52.4	0.9	100	21.9	205.4	53.4	1.1	99	7.9	4.0	59.2
RENK RK772YGCB	104	20.2	231.7*	55.3	0.0	100	21.0	211.3	53.6	3.0	97	23.6	208.4	52.9	1.2	100	21.6	217.1*	53.9	1.4	99	7.7	4.5	58.7
RUPP XR8619	102	21.8	214.4	55.7	0.2	99	22.5	211.2	54.9	0.0	99	25.4	198.6	53.0	0.4	99	23.3	208.1	54.5	0.2	99	8.1	3.5	59.6
RUPP XR8682	106	24.4	230.6*	50.9	1.4	100	27.2	221.3*	50.6	1.2	98	28.9	202.5	48.7	4.0	98	26.8	218.1*	50.1	2.2	99	8.0	3.8	59.3
TRELAY 7012	105	23.4	232.4**	52.9	0.4	99	24.6	222.9*	52.4	1.2	99	26.0	210.6*	51.3	1.7	99	24.7	222.0*	52.2	1.1	99	7.5	4.3	60.3
VIGORO V43Y31	103	21.4	225.2*	55.8	0.4	99	21.3	205.4	55.7	3.5	98	23.8	196.4	53.6	1.6	99	22.2	209.0	55.0	1.8	99	8.0	4.3	59.4
VIGORO V4530	105	22.6	229.9*	53.4	0.5	99	24.6	210.7	52.6	0.2	97	27.2	206.7	51.1	1.1	98	24.8	215.8	52.4	0.6	98	7.1	3.7	61.2
AVERAGE		22.4	223.8	53.6	1.0	99	23.6	216.0	53.2	1.2	98	25.9	203.0	51.8	1.1	98	24.0	214.3	52.9	1.1	98	7.7	3.9	59.8
HIGHEST		24.8	232.4	56.3	3.8	100	27.2	225.0	55.7	3.5	100	28.9	219.1	54.0	4.0	100	26.8	222.1	55.0	2.2	100	8.6	4.5	61.6
LOWEST		20.1	205.0	50.9	0.0	96	21.0	204.4	50.6	0.0	95	23.6	190.5	48.7	0.0	89	21.6	205.4	50.1	0.2	93	6.8	3.5	58.6
CV (%)		4.8	11.4	1.0	2.3	5.2	5.6	10.6	0.8	2.9	5.7	4.3	10.1	0.8	2.0	3.3	5.2	10.9	0.9	2.4	4.8	6.5	3.9	3.5
LSD (.05%)		0.9	10.9	0.8	1.5	3.4	1.0	9.7	0.7	1.8	3.6	0.9	9.0	0.6	1.2	2.0	0.6	5.7	0.4	0.9	1.8	0.4	0.2	0.6

- 15 -

3 Year AVERAGES		INGHAM - Late				KENT - Late				SAGINAW - Late				LATE TRIAL AVERAGE				QUALITY						
Brand / Hybrid	RM	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	%H2O	Bu/A	Twt	%SL	%Std	Prot	Oil	Strch
AGRIGOLD A6333Bt	104	22.1	203.3	52.8	0.8	100	24.0	206.6*	52.8	1.2	95	26.3	204.8	51.4	0.5	98	24.1	204.9	52.3	0.8	98	7.8	4.0	59.4
BAYSIDE Super 105	105	20.4	212.2	53.6	1.2	97	23.3	205.4*	52.8	1.7	94	24.8	197.5	51.4	1.7	94	22.8	205.0	52.6	1.6	95	7.7	3.9	59.7
CORN BELT C57B8Bt	107	22.3	209.0	53.1	1.8	97	24.7	210.7**	52.8	1.2	96	26.9	204.9	50.7	1.6	96	24.7	208.2	52.2	1.6	96	8.6	3.6	59.3
DAIRYLAND STEALTH-1606	107	21.1	205.6	54.0	1.2	100	23.1	197.5	53.2	1.8	96	24.4	203.0	52.4	1.5	99	22.9	202.0	53.2	1.5	98	7.7	3.7	59.6
DEKALB DKC53-33 (RR2)	103	18.9	215.5	56.5	1.4	100	20.6	192.0	55.1	2.3	96	22.3	203.9	54.5	1.1	98	20.6	203.8	55.4	1.6	98	7.4	4.2	59.6
DEKALB DKC53-34 (RR2/YGCB)	103	19.9	218.3*	55.5	1.4	97	21.3	203.0*	54.4	1.2	97	22.9	200.9	53.7	0.5	97	21.4	207.4	54.5	1.0	97	7.9	4.3	59.1
GARST 8590IT	105	21.1	213.5	54.7	1.4	97	21.9	204.5*	54.9	2.9	96	24.8	193.6	52.9	1.4	96	22.6	203.9	54.2	1.9	96	7.5	4.1	60.1
GARST 8590RR	105	21.1	204.5	54.4	2.6	98	22.3	209.2*	54.2	0.8	95	24.9	196.7	52.7	0.5	96	22.8	203.5	53.8	1.3	96	7.7	4.0	60.4
GREAT LAKES 5377	103	20.4	205.2	55.0	0.7	100	22.1	205.3*	54.7	0.2	100	25.5	206.7	52.7	1.3	98	22.7	205.7	54.1	0.7	99	7.0	3.5	61.7
NK Brand N51-Z7	104	20.7	224.0*	54.0	0.7	100	21.4	203.5*	53.9	1.5	99	23.3	219.5**	53.3	0.2	99	21.8	215.7**	53.7	0.8	99	6.8	4.0	61.4
NK Brand N58-D1	106	21.4	215.6	54.2	0.5	99	23.4	194.1	54.2	1.2	97	26.4	197.5	52.6	0.6	98	23.7	202.4	53.7	0.8	98	7.9	4.0	59.2
PIONEER 35Y55	106	20.6	225.6**	52.9	1.4	100	23.4	204.8*	52.0	2.2	96	24.8	204.5	51.8	0.9	97	22.9	211.6*	52.2	1.5	98	8.2	4.1	58.8
RENK RK772YGCB	104	19.1	218.8*	55.2	0.2	100	20.5	197.5	53.9	2.7	98	23.2	205.7	53.1	0.8	99	21.0	207.4	54.1	1.3	99	7.9	4.6	58.4
RUPP XR8682	106	22.1	217.2*	52.5	1.4	100	24.5	204.2*	52.3	1.7	97	28.2	201.8	50.0	2.8	99	24.9	207.7	51.6	2.0	98	8.3	3.8	59.2
TRELAY 7012	105	21.5	218.5*	53.9	0.3	100	22.8	203.9*	53.2	1.1	97	24.4	200.7	52.5	2.7	97	22.9	207.7	53.2	1.3	98	7.9	4.3	60.1
VIGORO V43Y31	103	19.8	213.8	56.7	0.7	98	21.4	195.6	56.1	2.8	99	23.2	201.1	54.7	1.3	99	21.5	203.5	55.8	1.6	99	8.0	4.3	59.4
VIGORO V4530	105	20.8	214.8	54.8	0.8	99	22.7	197.0	54.1	0.7	97	25.2	202.8	52.6	1.0	98	22.9	204.9	53.8	0.8	98	7.1	3.7	61.2
AVERAGE		20.8	210.3	54.3	1.1	99	22.6	195.6	53.8	1.6	97	24.8	201.6	52.5	1.2	98	22.7	205.2	53.5	1.3	98	7.7	4.0	59.8
HIGHEST		22.3	225.6	56.7	2.6	100	24.7	210.7	56.1	2.9	100	28.2	219.5	54.7	2.8	100	24.9	215.7	55.8	2.0	99	8.6	4.6	61.7
LOWEST		18.9	203.3	52.5	0.2	97	19.8	192.0	52.0	0.2	88	22.3	193.6	50.0	0.2	94	20.6	202.0	51.6	0.7	94	6.8	3.5	58.4
CV (%)		4.5	11.2	0.9	2.4	4.8	6.8	15.0	1.3	3.3	8.8	4.8	10.7	0.9	2.3	4.0	5.9	15.6	1.1	2.7	6.3	6.4	8.2	3.3
LSD (.05%)		0.7	9.1	0.6	1.2	2.6	1.0	11.6	0.8	1.6	4.6	0.8	8.3	0.6	1.1	2.1	0.5	7.1	0.4	0.8	1.9	0.3	0.3	0.5