

TABLE 2L.

## INGHAM, KENT &amp; SAGINAW COUNTY GRAIN TRIALS - LATE (101 Day and Later)

ZONE 2

BRAND / HYBRID	2005		LATE TRIAL AVERAGE				% QUALITY			INGHAM - LATE				KENT - LATE				SAGINAW - LATE							
	RM	TRT	%H2O	BU/A	Twt	%SL	%Sd	Prot	Oil	Strch	%H2O	BU/A	Twt	%SL	%Sd	%H2O	BU/A	Twt	%SL	%Sd	%H2O	BU/A	Twt	%SL	%Sd
AGRIGOLD A6333	104	P250	20.1	210.1	55.7	1.6	98	7.8	4.2	58.1	17.9	189.1 *	55.8	1.8	98	18.9	189.5	57.9	1.7	97	23.6	251.6	53.5	1.3	100
AGRIGOLD A6341CL	104	P250	20.9	209.4	54.9	1.0	99	7.4	3.9	58.9	18.0	193.7 *	55.6	1.1	100	20.1	193.8	56.6	1.9	98	24.7	240.6	52.4	0.0	100
BAYSIDE 2103	103	P250	18.5	203.8	57.8	1.9	96	7.8	3.6	59.7	15.5	189.0 *	58.1	4.7	99	18.3	190.0	59.1	0.7	92	21.8	232.3	56.1	0.3	98
BAYSIDE 4105	105	P250	19.7	202.4	54.8	0.7	95	8.9	3.9	58.7	16.3	177.5	55.4	0.8	96	19.0	196.2	56.3	0.4	90	23.8	233.4	52.8	1.0	98
BAYSIDE NorthGro NG5570RR	101	P250	17.6	200.3	59.3	1.1	95	7.9	3.2	60.1	15.2	185.0 *	59.7	1.3	98	17.6	190.5	60.0	2.0	90	20.0	225.3	58.1	0.0	98
BAYSIDE Super 105	105	P250	19.4	207.8	56.0	2.9	95	7.9	3.8	59.7	17.3	171.0	55.4	3.5	97	18.7	211.3	58.1	2.5	91	22.1	241.2	54.5	2.7	97
CORN BELT C543	104	P250	20.6	208.4	57.3	0.4	99	8.0	3.7	59.4	16.5	183.1	58.0	0.0	100	18.8	201.7	59.2	1.0	98	26.4	240.4	54.7	0.3	100
CROPLAN 491Bt	102	C250	18.1	208.9	59.6	1.7	100	8.5	4.4	57.9	15.6	180.5	59.9	4.3	100	18.4	204.3	61.1	0.7	99	20.3	241.8	57.9	0.0	100
CROPLAN 503RR2/Bt	104	C250	20.8	205.0	57.8	0.5	92	8.3	3.9	59.5	19.4	188.1 *	57.7	0.8	93	19.0	196.5	60.5	0.7	93	23.9	230.5	55.2	0.0	90
CROPLAN 576Bt	106	C250	21.7	227.9 **	55.1	0.0	98	7.6	4.4	59.1	17.7	195.2 *	56.3	0.1	100	21.3	231.9 **	56.9	0.0	98	26.1	256.6 *	52.1	0.0	97
CROPLAN 591	108	C250	20.2	199.9	59.8	2.9	100	8.6	4.6	58.4	16.5	163.8	60.3	2.0	100	19.3	194.6	61.8	3.9	100	24.9	241.4	57.4	2.9	100
DAHLCO DS4013Bt	103		16.8	200.5	57.9	0.6	99	8.1	4.9	56.6	15.4	178.9	57.2	0.1	100	16.4	196.4	59.0	1.0	98	18.6	226.1	57.4	0.7	99
DAHLCO DS4051Bt	105		19.1	205.1	59.3	0.3	98	8.1	3.8	59.5	18.1	187.7 *	58.9	0.0	99	18.0	189.1	61.1	0.3	96	21.1	238.5	58.0	0.7	100
DAIRYLAND STEALTH-1606RR	106	P250	20.8	201.9	56.0	1.4	98	7.8	3.8	59.0	16.0	174.9	57.4	2.1	100	19.9	186.2	57.7	0.7	95	26.4	244.7	53.0	1.3	99
DAIRYLAND STEALTH-1705	105	P250	19.6	201.3	55.1	1.3	99	8.0	3.6	59.7	15.9	181.0	55.4	0.5	99	18.8	186.4	57.1	1.6	98	24.2	236.6	52.7	1.9	100
DAIRYLAND STEALTH-5201	101	P250	17.3	218.1 *	58.4	2.1	99	8.1	4.3	59.2	15.4	193.2 *	58.8	5.1	100	17.1	210.4	59.1	1.0	99	19.3	250.6	57.2	0.3	99
DAIRYLAND STEALTH-5204	104	P250	18.9	214.5	57.9	0.4	99	8.0	4.0	58.7	15.5	191.9 *	58.2	1.3	99	18.3	197.5	59.8	0.0	97	22.9	254.2 *	55.8	0.0	99
DEKALB DKC52-23 (RR2/YGCB)	102	P250	17.8	210.7	58.1	1.3	98	7.6	4.6	58.7	16.4	189.5 *	57.5	1.4	100	18.0	209.2	59.4	1.8	94	19.0	233.3	57.4	0.7	99
DEKALB DKC52-47 (RR2/YGCB)	102	P250	17.5	211.1	58.1	0.2	100	7.8	4.2	59.2	15.2	190.7 *	58.4	0.1	100	18.1	198.4	58.6	0.3	100	19.3	244.1	57.2	0.3	100
DEKALB DKC54-51 (YGCB)	104	P250	18.6	217.6	58.8	1.1	100	8.5	4.1	58.0	16.1	195.4 *	59.3	2.5	100	19.4	211.2	59.5	0.0	100	20.4	246.2	57.5	0.7	100
DYNAGRO 55P41	102	P250	18.7	202.3	56.5	0.6	99	8.2	4.4	58.2	16.2	168.8	56.2	1.4	100	18.4	211.5	58.1	0.3	98	21.6	226.6	55.3	0.0	100
DYNAGRO CX05103	102	P250	17.0	213.1	58.5	0.9	93	8.1	4.4	58.5	14.9	187.1 *	58.7	2.7	95	16.8	206.0	59.5	0.0	92	19.3	246.1	57.4	0.0	93
GARST 8590RR	105	C250	19.7	204.5	57.4	1.1	99	7.1	3.7	60.6	16.8	183.6	58.1	0.0	98	18.5	195.2	59.1	1.6	99	23.8	234.7	55.0	1.6	99
GARST 8665YG1	104	C250	19.2	199.3	57.7	0.5	100	8.1	3.8	59.0	16.2	171.7	58.0	1.3	100	18.2	181.2	59.5	0.0	100	23.3	244.9	55.5	0.3	100
GARST 8676IT	105	C250	19.8	211.8	54.8	1.7	99	8.3	3.8	58.9	16.6	192.0 *	52.0	1.7	100	19.7	192.3	57.6	1.7	98	23.0	251.2	54.7	1.6	99
GARST 8689IT	104	C250	19.5	208.0	56.1	1.5	98	8.1	4.2	58.8	16.7	192.8 *	56.7	1.6	99	19.6	193.6	57.2	2.7	96	22.3	237.7	54.4	0.3	97
GOLDEN HARVEST H-8920	111	C250	23.7	214.8	56.8	2.4	99	7.7	3.9	59.1	19.9	193.4 *	57.8	2.7	100	23.3	197.3	58.0	2.0	96	27.9	253.7 *	54.5	2.6	100
GREAT LAKES 5110BtRR	101	P250	20.2	212.4	57.5	1.1	97	8.1	3.8	59.3	17.4	187.8 *	57.6	2.6	100	20.7	211.1	58.5	0.7	93	22.5	238.3	56.4	0.0	99
GREAT LAKES 5377BtRR	103	P250	20.1	193.0	58.4	0.7	99	7.2	3.6	61.1	18.7	167.3	58.2	1.2	99	19.3	185.2	60.3	1.0	99	22.4	226.6	56.8	0.0	100
GREAT LAKES 5711Bt	107	P250	22.3	223.8 *	53.6	1.5	100	7.9	4.1	58.3	18.4	199.0 **	54.2	3.5	100	20.6	217.1 *	55.6	0.7	100	27.9	255.3 *	51.0	0.3	100
GREAT LAKES 5922	109	P250	22.2	208.0	55.1	2.5	100	7.2	3.6	59.9	17.6	185.1 *	56.4	1.3	100	21.1	193.2	56.9	2.6	100	27.8	245.6	52.0	3.6	99
GREAT LAKES 5961BtRR	109	P250	22.3	216.3	55.1	0.5	97	8.1	4.0	58.7	19.1	183.3	56.1	0.2	98	21.6	203.3	56.7	1.4	93	26.2	262.4 **	52.5	0.0	100
HIGH CYCLE HC5B739	105	P250	20.0	212.8	57.8	0.3	100	7.5	3.6	60.1	16.3	191.1 *	58.5	0.9	100	20.8	203.7	58.9	0.0	100	23.0	243.5	56.1	0.0	100
HIGH CYCLE HC5P825	104	P250	19.8	198.6	58.3	0.8	96	7.2	3.4	61.0	17.5	177.6	58.8	1.5	100	18.9	183.7	60.3	0.7	90	23.0	234.4	55.8	0.3	98
HIGH CYCLE HC6N813	103	P250	20.5	200.8	57.6	0.1	95	8.3	4.0	59.6	18.5	178.1	57.8	0.3	95	20.1	184.6	59.3	0.0	91	22.9	239.7	55.8	0.0	99

2005			LATE TRIAL AVERAGE					% QUALITY			INGHAM - LATE					KENT - LATE					SAGINAW - LATE				
BRAND / HYBRID	RM		%H2O	BU/A	Twt	%SL	%Sd	Prot	Oil	Strch	%H2O	BU/A	Twt	%SL	%Sd	%H2O	BU/A	Twt	%SL	%Sd	%H2O	BU/A	Twt	%SL	%Sd
JUNG 6545YGCB	105	P250	20.2	214.6	56.9	0.2	99	8.2	3.9	59.0	16.9	194.6 *	57.6	0.7	100	18.8	198.4	59.0	0.0	99	24.9	250.9	54.0	0.0	99
LEGACY 35B75	104	C125XT	19.6	210.4	56.6	0.1	94	7.2	3.8	60.3	16.6	190.6 *	57.6	0.3	98	20.0	204.2	57.6	0.0	87	22.1	236.5	54.7	0.0	96
MAIZELEAF ML46G02	102	P250	19.5	209.5	56.5	0.9	98	7.6	4.0	59.7	16.4	195.9 *	57.1	1.8	99	20.2	194.7	57.4	0.7	96	21.9	238.0	55.0	0.3	99
MYCOGEN 2D555	103	C125	19.6	212.3	57.5	0.1	100	8.1	4.3	58.7	15.9	181.0	57.9	0.1	100	19.0	208.4	59.3	0.3	100	24.0	247.5	55.4	0.0	100
MYCOGEN 2G626	105	C125	20.3	206.1	57.6	0.7	99	8.2	3.6	59.4	17.0	187.2 *	57.9	0.4	100	20.7	201.3	58.7	1.3	98	23.1	229.9	56.1	0.3	99
NK Brand N41-R9	98		18.5	182.9	58.4	0.7	100	8.8	4.6	56.2	16.2	154.5	57.7	0.8	100	19.4	183.3	59.5	0.3	100	19.8	210.8	58.0	1.0	100
NK Brand N50-P5	102	C250	18.0	199.0	57.4	1.1	100	8.3	4.2	58.0	15.1	178.7	56.8	0.4	100	18.1	183.2	59.4	2.9	100	20.7	235.0	56.1	0.0	100
NK Brand N51-Z7	104	C250	19.8	196.7	55.9	0.6	99	7.0	4.1	60.0	17.1	175.4	55.9	0.2	100	20.6	179.4	56.9	0.7	98	21.7	235.2	54.9	1.0	99
NK Brand N58-L8	106	C250	19.4	205.6	57.3	1.1	93	7.6	3.7	60.4	16.8	183.8	57.6	2.1	93	18.5	201.5	58.8	1.1	92	22.9	231.5	55.5	0.0	94
PARTNERS BRAND 525HX1	102	C125	18.8	211.8	55.9	0.6	100	8.1	3.5	59.9	16.0	180.2	56.5	0.8	99	18.7	217.0 *	57.6	0.7	100	21.7	238.2	53.7	0.3	99
PARTNERS BRAND 528YGCB	102	C125	19.7	207.4	57.7	0.4	99	8.4	3.8	59.5	16.3	181.6	58.9	0.8	100	19.6	205.8	58.8	0.0	99	23.3	234.9	55.5	0.3	98
PARTNERS BRAND 531	103	C125	18.8	193.9	57.5	2.5	99	7.7	3.6	60.2	15.5	168.7	58.2	2.3	100	17.9	181.6	59.0	3.3	98	22.9	231.4	55.2	2.0	99
PARTNERS BRAND 537YGCB	103	C125	18.9	208.6	57.6	0.6	100	8.3	4.1	59.1	14.7	167.6	57.8	1.1	100	18.1	200.8	59.6	0.7	100	23.9	257.4 *	55.4	0.0	100
PARTNERS BRAND 566	106		19.0	194.8	59.4	0.7	100	8.3	4.2	58.4	17.0	177.2	59.6	0.9	100	18.2	181.7	61.1	0.3	100	21.8	225.4	57.6	1.0	100
PARTNERS BRAND EX138	103	C125	19.3	187.7	60.8	2.9	92	8.6	4.0	58.8	16.4	164.3	60.9	5.0	97	19.4	165.5	62.4	2.4	82	22.0	233.2	59.2	1.3	98
PARTNERS BRAND EX180Bt	108		24.3	211.6	55.1	0.7	99	7.5	3.8	59.7	19.5	194.0 *	56.7	1.4	100	24.3	188.8	56.3	0.0	99	29.2	252.0	52.3	0.7	98
PIONEER 34D72	107	P250	19.1	210.8	58.0	0.2	99	7.7	3.5	59.2	15.8	175.5	58.4	0.5	100	18.5	207.6	59.6	0.0	98	23.1	249.3	55.9	0.0	100
PIONEER 35A30	104	P250	19.4	206.8	58.7	2.6	100	7.6	3.4	60.6	15.4	180.6	59.7	3.9	100	19.4	191.1	60.0	2.0	100	23.3	248.7	56.4	1.9	99
PIONEER 35Y33	107	P250	20.9	213.5	60.9	1.3	95	8.5	3.9	59.2	18.9	192.7 *	61.5	0.9	98	20.9	210.0	62.3	2.0	95	23.0	237.9	58.9	1.1	91
PIONEER 36W66	102	P250	18.3	209.6	57.3	1.1	99	7.7	4.2	58.8	15.2	189.1 *	58.1	1.4	100	18.4	208.0	58.1	1.3	98	21.3	231.7	55.6	0.7	97
RENK RK652LLYGCB	104		19.4	204.8	56.7	0.6	94	7.2	3.7	60.2	17.0	188.0 *	57.4	0.3	97	19.5	197.2	57.9	1.1	87	21.8	229.3	54.8	0.4	96
RENK RK684	105		18.3	189.0	59.0	0.4	93	8.4	4.0	58.9	14.7	167.2	59.5	0.4	98	18.4	180.7	60.0	0.4	85	21.9	219.0	57.4	0.3	96
RENK RK772YGCB	104		17.8	209.8	57.0	0.9	100	8.2	4.7	57.7	15.9	185.6 *	56.8	1.3	100	17.7	203.6	58.2	1.0	100	19.9	240.1	55.9	0.3	99
RUPP XR1609	101	P250	19.3	197.2	57.9	1.2	100	7.5	3.6	61.3	16.3	165.5	58.2	1.6	100	18.4	192.5	59.7	1.0	99	23.1	233.7	55.8	1.0	100
RUPP XR1612	103	P250	20.0	200.8	54.7	2.0	91	8.1	3.6	59.5	17.1	183.7	54.9	3.2	94	18.5	189.3	56.9	1.4	91	24.3	229.3	52.2	1.4	89
RUPP XR8624	102	P250	19.5	212.7	57.6	1.0	100	7.6	3.8	60.0	16.8	192.8 *	57.7	1.5	100	19.1	205.5	59.3	0.3	100	22.5	239.7	55.7	1.3	100
TRELAY 7012	105	P250	21.1	197.0	55.8	2.0	96	8.2	4.2	59.5	16.9	182.0	57.3	3.0	100	21.2	173.7	57.1	2.1	89	25.1	235.3	53.1	1.0	99
TRELAY SP651	102	P250	18.5	197.3	57.0	2.1	100	8.6	4.3	57.9	14.2	163.8	57.0	1.5	100	18.1	187.8	58.3	2.9	99	23.3	240.3	55.6	1.9	100
VIGORO Ex434002	103	P250	18.7	211.3	58.0	0.5	97	8.0	4.1	58.7	15.3	178.5	58.1	0.5	100	17.9	198.0	60.1	0.3	94	23.0	257.4 *	55.8	0.7	99
VIGORO V4160	101	P250	18.4	205.1	57.4	4.2	100	7.6	3.4	60.7	15.0	180.0	58.3	8.1	100	17.2	195.2	58.9	1.9	100	22.9	240.1	55.0	2.6	99
VIGORO V41H61	101	P250	19.4	209.8	57.3	2.2	100	7.9	3.4	60.3	15.5	183.2	58.4	6.6	100	19.5	198.6	58.4	0.0	100	23.2	247.7	55.0	0.0	100
VIGORO V43Y31	103	C250	19.4	209.7	58.7	0.3	98	8.4	4.2	58.7	17.0	190.0 *	59.1	0.0	100	18.5	199.6	60.1	0.7	95	22.7	239.6	56.8	0.3	100
VIGORO V43YR52	103	C250	19.3	201.2	57.6	1.3	96	7.9	3.5	59.6	15.9	173.5	57.8	3.2	99	19.4	188.3	59.1	0.4	91	22.7	241.7	55.8	0.4	97
VIGORO V4530	105	C250	18.2	193.2	58.5	1.8	96	7.4	3.5	60.9	16.0	171.4	58.7	2.2	100	16.9	178.4	60.2	1.8	88	21.6	229.8	56.7	1.3	100
VIGORO V46Y41	106	C250	19.3	200.9	58.2	0.5	98	7.2	3.8	60.5	16.7	179.4	58.5	0.8	100	18.5	187.7	60.3	0.7	97	22.7	235.7	55.8	0.0	98
AVERAGE			19.5	206.0	57.3	1.1	98	7.9	3.9	59.3	16.6	182.2	57.7	1.7	99	19.1	196.2	58.9	1.0	96	22.9	239.5	55.4	0.7	98
HIGHEST			24.3	227.9	60.9	4.2	100	8.9	4.9	61.3	19.9	199.0	61.5	8.1	100	24.3	231.9	62.4	3.9	100	29.2	262.4	59.2	3.6	100
LOWEST			16.8	182.9	53.6	0.0	91	7.0	3.2	56.2	14.2	154.5	52.0	0.0	93	16.4	165.5	55.6	0.0	82	18.6	210.8	51.0	0.0	89
CV (%)			6.1	6.0	1.7	134	3	5.0	6.6	1.4	7.0	5.9	2.4	118	2	6.5	7.2	1.3	130	4	3.4	3.0	1.0	156	2
LSD (.05%)			0.8	8.3	0.7	1.0	2	0.5	0.3	1.0	1.6	15.1	1.9	2.7	6	1.8	19.7	1.0	3.8	5	1.1	10.0	0.8	3.1	6

2 Year Averages			LATE TRIAL AVERAGE					% QUALITY			INGHAM - LATE					KENT - LATE					SAGINAW - LATE				
BRAND / HYBRID	RM		%H2O	BU/A	Twt	%SL	%Sd	Prot	Oil	Strch	%H2O	BU/A	Twt	%SL	%Sd	%H2O	BU/A	Twt	%SL	%Sd	%H2O	BU/A	Twt	%SL	%Sd
BAYSIDE NorthGro NG5570RR	101		20.3	209.1	57.1	0.8	96	7.6	3.2	60.3	18.7	210.9	57.6	1.0	96	18.8	202.7	58.1	1.4	93	23.3	213.8	55.6	0.2	98
BAYSIDE Super 105	105		22.6	217.3	53.5	1.9	97	7.4	3.9	59.9	20.7	203.4	53.6	2.1	97	21.5	219.4 **	54.5	1.8	95	25.7	229.1	52.3	1.9	98
DEKALB DKC52-47 (RR2/YGCB)	102		19.5	218.1	56.5	0.2	100	7.0	4.0	60.3	18.1	210.5	57.0	0.0	100	18.2	207.2	57.2	0.5	100	22.1	236.7 *	55.5	0.2	100
DEKALB DKC54-51 (YGCB)	104		20.6	225.3 **	57.1	0.7	100	8.1	4.1	58.7	19.1	223.0 **	57.9	1.4	100	19.4	215.1 *	57.9	0.4	100	23.2	237.9 **	55.4	0.3	100
DYNAGRO 55P41	102		20.8	211.9	55.0	0.9	100	7.4	4.2	59.3	19.1	197.5	55.1	1.0	100	19.1	211.0 *	56.2	1.6	99	24.2	227.3	53.6	0.0	100

TABLE 2L - Continued from page 15.

INGHAM, KENT & SAGINAW COUNTY GRAIN TRIALS - LATE (101 Day and Later)

ZONE 2

2 Year Averages		LATE TRIAL AVERAGE					% QUALITY			INGHAM - LATE					KENT - LATE					SAGINAW - LATE				
BRAND / HYBRID	RM	%H2O	BU/A	Twt	%SL	%Sd	Prot	Oil	Strch	%H2O	BU/A	Twt	%SL	%Sd	%H2O	BU/A	Twt	%SL	%Sd	%H2O	BU/A	Twt	%SL	%Sd
GARST 8590RR	105	22.3	213.3	55.1	0.6	99	7.1	3.7	61.0	20.6	213.1	55.7	0.1	99	20.4	212.3 *	56.7	1.0	100	26.0	214.4	52.9	0.8	100
HIGH CYCLE HC5B739	105	21.9	220.1 *	55.5	0.3	100	7.2	3.5	60.6	19.9	215.1 *	56.2	0.8	99	20.5	217.0 *	56.5	0.0	100	25.4	228.3	53.7	0.0	100
JUNG 6545YGCB	105	22.1	217.8	55.2	0.2	100	7.5	3.7	60.1	20.3	211.5	55.6	0.7	100	19.6	211.4 *	57.1	0.0	100	26.4	230.6 *	53.1	0.0	100
MYCOGEN 2G626	105	22.3	214.3	55.3	0.4	100	8.0	3.8	59.7	20.2	211.5	56.1	0.4	100	20.7	210.9 *	56.1	0.8	99	26.0	220.6	53.8	0.2	99
NK Brand N50-P5	102	20.3	209.8	55.4	0.8	100	7.8	4.1	58.9	18.8	208.7	55.3	0.4	100	18.5	199.1	57.2	2.0	100	23.7	221.8	53.7	0.0	100
NK Brand N51-Z7	104	21.7	214.1	54.5	0.9	99	6.6	4.0	61.1	20.0	212.0	54.9	0.1	100	20.3	194.6	55.3	2.2	99	24.8	235.6 *	53.2	0.5	98
PARTNERS BRAND 525HX1	102	21.2	219.2	54.0	0.7	100	7.4	3.6	60.9	19.6	210.5	54.5	0.8	100	19.2	217.3 *	55.3	0.9	100	24.7	229.7	52.1	0.3	100
PARTNERS BRAND 528YGCB	102	21.9	215.7	55.5	0.4	99	8.1	3.8	59.8	20.1	209.3	56.3	0.4	100	20.1	215.9 *	56.4	0.4	99	25.7	222.0	53.7	0.3	99
RENK RK652LLYGCB	104	21.1	212.8	55.2	0.5	97	6.8	3.5	60.9	19.8	211.0	55.9	0.3	99	19.6	205.6	55.9	0.9	94	23.9	222.0	53.7	0.2	98
RENK RK772YGCB	104	19.8	213.2	55.6	1.5	100	7.7	4.7	58.4	18.0	212.6	56.4	0.7	100	18.1	201.3	56.1	3.4	100	23.2	225.7	54.1	0.3	100
RUPP XR1609	101	21.8	212.5	55.4	1.1	97	7.3	3.6	61.4	20.0	201.7	55.8	0.8	100	20.0	206.2	56.9	1.7	91	25.6	229.7	53.6	0.7	100
TRELAY 7012	105	23.4	213.8	53.9	1.3	98	7.5	4.3	60.4	21.4	209.5	54.9	1.5	100	22.1	200.0	55.0	1.6	95	26.6	231.8 *	52.0	0.7	99
VIGORO V43Y31	103	21.2	215.1	56.7	1.3	99	7.9	4.2	59.4	19.6	218.8 *	57.3	0.2	99	19.5	200.4	58.0	3.5	97	24.6	226.1	54.7	0.2	100
VIGORO V4530	105	21.5	211.7	55.4	1.1	98	7.1	3.5	61.2	20.1	207.7	55.9	1.3	100	19.3	201.4	56.8	1.1	94	25.2	226.0	53.4	0.8	100
VIGORO V46Y41	106	22.2	211.7	55.3	0.2	99	7.2	3.7	60.7	20.2	203.7	55.9	0.4	100	20.5	203.9	56.6	0.3	99	25.9	227.5	53.4	0.0	99
AVERAGE		21.4	214.8	55.3	0.8	99	7.4	3.8	60.1	19.7	210.1	55.9	0.7	99	19.8	207.6	56.5	1.3	98	24.8	226.8	53.7	0.4	99
HIGHEST		23.4	225.3	57.1	1.9	100	8.1	4.7	61.4	21.4	223.0	57.9	2.1	100	22.1	219.4	58.1	3.5	100	26.6	237.9	55.6	1.9	100
LOWEST		19.5	209.1	53.5	0.2	96	6.6	3.2	58.4	18.0	197.5	53.6	0.0	96	18.1	194.6	54.5	0.0	91	22.1	213.8	52.0	0.0	98
CV (%)		5.4	5.9	1.6	159	3	5.6	6.0	1.3	6.1	6.1	2.1	113	3	6.1	6.7	1.4	195	4	3.4	4.1	1.1	150	2
LSD (.05%)		0.5	5.9	0.4	0.8	2	0.4	0.2	0.6	0.9	9.8	1.0	1.3	3	1.0	11.1	0.7	1.8	3	0.7	8.0	0.5	0.7	2

- 16 -

3 Year Averages		LATE TRIAL AVERAGE					% QUALITY			INGHAM - LATE					KENT - LATE					SAGINAW - LATE				
BRAND / HYBRID	RM	%H2O	BU/A	Twt	%SL	%Sd	Prot	Oil	Strch	%H2O	BU/A	Twt	%SL	%Sd	%H2O	BU/A	Twt	%SL	%Sd	%H2O	BU/A	Twt	%SL	%Sd
BAYSIDE Super 105	105	22.8	213.8 *	53.0	1.5	95	7.6	3.9	59.7	20.5	210.0 *	53.7	1.7	97	22.7	219.5 **	53.8	1.2	94	25.1	211.8	51.4	1.6	95
GARST 8590RR	105	22.7	209.2	54.3	1.4	98	7.5	3.9	60.4	21.1	206.4	55.1	2.5	99	21.9	212.9 *	55.4	0.8	97	25.2	208.2	52.5	0.9	99
JUNG 6545YGCB	105	22.4	215.0 **	54.9	0.3	99	7.7	3.7	60.1	20.4	211.0 *	55.6	0.4	100	21.8	214.0 *	55.8	0.0	99	25.1	220.0 *	53.5	0.4	99
NK Brand N50-P5	102	21.0	208.1	54.5	1.5	100	7.9	4.3	58.9	19.0	209.5 *	54.7	1.6	100	21.1	203.0	55.3	1.3	100	22.7	211.8	53.5	1.6	100
NK Brand N51-Z7	104	22.0	213.6 *	54.0	0.9	99	6.9	4.0	60.9	20.8	212.5 *	54.1	0.8	100	21.7	203.9	54.7	1.6	99	23.7	224.5 **	53.3	0.3	98
RENK RK772YGCB	104	20.4	214.7 *	54.9	1.2	99	7.9	4.6	58.4	18.8	216.3 **	55.8	0.4	100	19.9	208.7	55.1	2.3	98	22.4	219.0 *	53.9	0.9	100
TRELAY 7012	105	23.5	213.7 *	53.4	1.4	98	7.7	4.3	60.0	21.3	215.6 *	54.4	1.3	100	23.4	206.5	54.0	1.5	95	25.7	218.8 *	51.9	1.5	99
VIGORO V43Y31	103	21.2	209.2	56.2	1.3	98	8.1	4.2	59.2	19.9	213.4 *	56.9	0.2	99	20.4	203.5	57.2	2.5	97	23.4	210.8	54.7	1.2	99
VIGORO V4530	105	22.6	208.2	54.4	1.0	97	7.2	3.6	61.1	20.4	210.4 *	55.2	1.1	100	22.0	199.9	55.2	0.7	94	25.4	214.4	52.9	1.1	98
AVERAGE		22.1	211.7	54.4	1.2	98	7.6	4.1	59.8	20.2	211.7	55.0	1.1	99	21.7	208.0	55.2	1.3	97	24.3	215.5	53.1	1.1	98
HIGHEST		23.5	215.0	56.2	1.5	100	8.1	4.6	61.1	21.3	216.3	56.9	2.5	100	23.4	219.5	57.2	2.5	100	25.7	224.5	54.7	1.6	100
LOWEST		20.4	208.1	53.0	0.3	95	6.9	3.6	58.4	18.8	206.4	53.7	0.2	97	19.9	199.9	53.8	0.0	94	22.4	208.2	51.4	0.3	95
CV (%)		6.0	5.8	1.7	162	3	5.9	6.2	1.3	6.1	6.3	2.0	130	4	6.3	6.2	1.4	179	4	4.3	4.2	1.3	191	2
LSD (.05%)		0.5	4.7	0.4	0.7	1	0.3	0.2	0.5	0.8	8.4	0.8	1.2	2	0.8	8.4	0.5	1.3	3	0.7	6.6	0.5	0.9	2