

TABLE 2E.

INGHAM, KENT & SAGINAW COUNTY GRAIN TRIALS - EARLY (100 Day and Earlier)

ZONE 2

BRAND / HYBRID	RM	TRT	Trait	EARLY TRIAL AVERAGE				% QUALITY			INGHAM - EARLY			KENT - EARLY			SAGINAW-EARLY									
				%H2O	BU/A	Twt	%SL	%Sd	Prot	Oil	Strch	%H2O	BU/A	Twt	%SL	%Sd	%H2O	BU/A	Twt	%SL	%Sd					
AGRI GOLD A6225B1RR	98	P250	1,2	21.8	203.6	56.8	0.0	83	8.1	4.1	59.0	20.5	207.1	56.9	0.0	84	23.1	205.1	55.9	0.0	85	21.8	195.5	57.7	0.0	81
AGRI GOLD A6285B1RWRR	100	P250	1,2,3	21.2	193.3	56.0	2.7	99	7.7	4.3	59.3	19.9	193.0	56.3	1.1	100	22.5	186.8	55.0	7.1	98	21.3	200.0	56.8	0.0	100
BAYSIDE 1700	100	P250		21.7	188.0	55.8	1.1	97	8.1	3.8	60.0	20.1	183.1	55.7	1.6	98	22.8	201.7	55.1	1.8	100	22.2	179.3	56.7	0.1	93
BAYSIDE 4095Y GCB	95	P250	2	21.0	188.5	56.5	12.2	100	7.7	4.2	58.4	20.6	198.3	55.4	35.9	100	21.8	199.0	56.3	0.7	100	20.6	168.4	57.8	0.0	99
BAYSIDE 5072RR	93	P250	1	21.0	179.4	55.6	1.4	98	7.7	4.0	60.0	18.5	170.2	56.1	1.9	99	23.7	182.2	54.2	1.8	95	20.8	185.8	56.4	0.7	100
BAYSIDE 5095RR	95	P250	1	22.5	168.9	54.6	2.0	92	8.3	3.6	59.1	21.6	165.4	54.6	4.3	99	24.0	192.8	53.3	1.4	99	22.0	148.3	55.9	0.4	89
BAYSIDE 5518RR	95	P250	1	21.2	190.2	56.1	0.9	92	7.9	3.7	59.7	19.6	186.9	56.1	1.7	94	22.9	198.4	55.4	0.4	91	21.2	185.3	56.8	0.7	92
BAYSIDE 6094Y GCBRR	94	P250	1,2	20.6	203.6	54.8	0.5	98	7.8	4.5	58.6	19.2	212.3	55.3	0.0	99	23.2	215.3	52.8	1.4	100	19.3	183.2	56.5	0.0	96
BAYSIDE 6096	96	P250		21.8	191.8	55.4	1.7	95	7.5	3.5	61.0	20.4	202.6	55.5	2.3	96	22.4	204.0	54.7	0.7	98	22.6	168.8	56.1	2.0	91
BAYSIDE Super 93	93	P250		20.4	177.4	55.6	1.7	91	7.4	4.0	61.5	19.1	184.6	56.0	2.9	91	22.1	186.1	54.1	2.1	98	20.2	161.6	56.7	0.0	85
BROWN 5232RRY GPlus	98	C250	1,2,3	20.7	203.6	57.1	0.3	98	7.8	4.2	59.6	20.0	203.1	57.3	0.7	98	22.0	231.1	55.8	0.4	97	20.1	174.7	58.1	0.0	100
BROWN 5636	98	C250		22.5	197.9	54.8	1.4	90	7.5	3.7	60.6	21.5	205.1	55.2	1.4	90	23.4	217.9	54.1	1.9	91	22.6	170.6	55.2	0.8	89
BROWN 5636RRY GCB	100	C250	1,2	23.4	189.1	54.6	0.9	94	7.5	3.8	60.3	22.9	197.1	54.5	1.5	97	24.5	204.2	54.6	1.1	95	22.9	165.9	54.9	0.0	90
CORN BELT C438Y GCB	93	P250	2	20.2	188.7	56.7	0.9	95	6.7	4.6	59.7	18.8	203.9	56.9	2.4	94	21.5	204.3	56.3	0.4	96	20.3	168.1	57.0	0.0	94
CROPLAN 421RR/Bt	101	C250	1,2	21.2	206.4	57.1	0.2	94	8.0	4.3	58.7	19.9	207.1	57.4	0.3	95	21.9	230.0	56.6	0.0	98	21.7	182.1	57.2	0.3	91
CROPLAN 491TS	102	C250	1,2,3	21.3	200.1	56.8	0.0	98	8.0	4.1	58.5	20.6	208.5	56.7	0.0	96	23.4	230.0	54.8	0.0	100	19.9	161.6	56.8	0.0	98
CROWS 1707B	96	C250	2	18.9	189.1	57.5	0.5	100	7.4	4.7	59.4	17.8	192.0	57.5	0.2	100	20.1	216.8	56.9	1.4	100	18.9	158.4	58.1	0.0	99
DAIRYLAND STEALTH-1598	98	P250		21.0	185.5	55.4	1.8	96	7.3	3.9	60.7	19.6	191.0	56.0	2.4	96	22.3	195.2	53.7	0.4	99	21.1	170.3	56.5	2.6	95
DAIRYLAND STEALTH-5497	98	P250	2	20.9	191.2	56.6	0.3	92	6.9	4.4	59.6	19.0	197.2	56.7	0.3	90	21.0	215.4	56.2	0.4	94	20.1	161.1	57.0	0.4	93
DEKALB DKC46-22 (RR2/YG/PL)	96	P250	1,2,3	19.9	184.9	56.5	2.4	96	7.9	4.2	59.5	18.0	189.4	57.7	4.0	95	22.2	203.0	54.3	2.5	100	19.5	162.2	57.6	0.7	93
DEKALB DKC48-53 (RR2/YG/GB)	98	P250	1,2	20.3	193.6	56.3	0.0	99	6.8	4.2	60.6	18.8	206.3	56.6	24.8	100	22.1	198.0	54.5	1.4	100	20.0	176.6	57.7	0.7	99
DYNAGRO 53K69	96	P250	1	19.5	186.9	56.0	2.6	97	7.4	4.3	58.9	18.0	191.0	56.6	2.0	98	21.4	209.0	54.5	3.5	99	19.3	160.8	57.0	2.2	94
DYNAGRO CX05200	100	P250		21.9	199.0	55.4	2.1	92	7.0	3.7	62.0	20.2	210.7	55.0	2.3	91	23.5	210.8	54.7	3.2	94	22.1	184.6	56.4	0.8	92
DYNAGRO CX06000	97	P250	1,2,3	20.8	198.4	57.5	2.3	97	7.8	4.3	59.3	19.6	210.2	57.8	2.8	96	22.1	228.6	56.5	2.8	100	20.6	156.5	58.3	1.4	95
GARST 8880Y/G1	95	C250	2	19.9	187.4	57.0	0.7	98	7.2	4.8	58.4	18.4	190.1	56.8	0.9	100	21.2	197.3	56.8	0.7	100	20.0	174.8	57.5	0.4	95
GREAT LAKES 4889B1RR	96	P250	1,2	21.2	203.9	56.7	0.6	90	8.3	4.4	58.6	19.7	214.1	57.0	1.0	91	22.4	219.4	56.0	0.4	94	21.5	178.1	57.1	0.4	85
HYLAND SEEDS HL2368	90	P250		20.0	176.6	56.2	1.5	100	7.4	4.5	58.8	19.0	179.0	56.5	2.7	100	21.4	191.4	54.9	1.1	100	19.7	159.5	57.3	0.7	100
HYLAND SEEDS HL2492	98	P250		21.2	191.4	56.2	2.8	100	7.9	3.7	60.1	19.7	202.9	56.2	3.2	100	21.6	211.2	55.7	3.9	100	22.3	160.1	56.5	1.4	99
HYLAND SEEDS HL2515	100	P250		21.4	184.9	55.6	4.6	88	7.6	4.6	58.6	19.6	192.4	55.9	6.6	89	22.7	215.4	54.6	3.2	89	21.8	146.9	56.5	4.1	85
HYLAND SEEDS HLB282	92	P250	2	19.8	197.6	57.4	1.2	99	7.2	4.8	58.5	18.5	204.5	57.0	0.7	98	21.0	211.0	57.2	1.8	100	20.0	177.3	58.1	1.1	99
HYLAND SEEDS HLB43R	97	P250	1,2	21.1	178.1	56.0	1.3	90	7.8	3.4	60.8	19.5	179.1	56.5	1.6	87	23.1	200.0	54.9	1.5	93	20.7	155.2	56.7	0.7	91
HYLAND SEEDS HLB234	90	P250	1	19.8	190.0	56.4	2.2	100	7.3	4.7	59.2	18.5	196.9	56.7	2.3	100	21.1	214.9	55.6	2.8	100	19.8	158.2	56.9	1.4	99
HYLAND SEEDS JUXXIN	90	P250		20.4	178.6	55.4	3.2	98	7.5	3.7	60.0	19.7	181.5	55.4	7.0	97	22.2	185.6	53.1	0.7	100	19.4	168.8	57.6	1.9	98
HYLAND SEEDS LAXXOT B1	98	P250	2	19.5	179.7	56.4	0.6	95	7.3	4.8	58.0	18.6	202.0	57.1	1.0	97	21.7	184.0	54.6	0.7	93	18.3	153.1	57.6	0.0	94
INTEGRA SEED INT6898RB	98	P250	1,2	20.6	201.3	55.1	0.4	94	7.7	4.1	59.2	19.1	210.8	55.6	0.7	94	23.1	199.1	52.9	0.4	96	19.5	194.0	56.9	0.0	93
JUNG 7422RRY GCB	98	P250	1,2	21.0	196.9	57.2	1.2	100	7.8	4.4	59.0	20.3	211.1	57.0	1.2	100	22.1	221.7	56.5	1.8	99	20.6	157.7	57.9	0.7	100
LASER L-7H07B1	95	C250	2	20.1	194.1	56.7	0.4	100	7.2	4.6	58.9	18.4	202.7	57.2	0.6	100	21.8	207.2	55.4	0.0	100	20.2	172.5	57.5	0.7	99
LASER L-7H67B1RR	99	C250	1,2	21.2	196.2	54.6	0.7	100	7.5	4.3	59.1	19.4	197.9	54.9	0.5	100	23.0	217.4	53.6	1.4	100	21.1	173.4	55.4	0.0	99
LEGACY 46H67	96	P250		21.5	188.5	55.3	2.6	94	7.0	3.7	60.8	20.3	195.5	55.6	3.2	97	22.1	199.5	54.1	3.2	97	22.1	170.3	56.3	1.5	87
LEGACY 46M94	100	P250	2	21.5	183.7	57.2	1.2	93	7.9	3.7	59.4	20.6	180.3	57.3	0.3	95	23.0	202.9	55.9	2.5	97	20.8	167.9	58.4	0.7	87
MYCOGEN 2R426	96	C250	2	20.1	194.6	57.3	1.4	99	7.1	4.6	58.6	18.9	192.1	57.2	1.7	99	21.8	211.6	56.5	2.4	100	19.7	180.1	58.1	0.0	100
NK Brand N39-K7	98	C250	1	21.0	161.7	53.7	11.9	96	7.9	4.1	59.7	19.9	159.3	53.2	26.1	99	21.9	182.3	53.8	6.9	100	21.3	143.7	54.0	2.7	90
NK Brand N41-P1	99	C250	1,2,4	22.1	172.0	54.2	0.8	97	7.9	4.2	59.5	20.2	174.1	55.0	1.0	99	23.3	192.2	53.6	0.7	100	22.8	149.8	54.1	0.7	93
NK Brand N45-A6	100	C250	2,4	21.2	198.8	53.7	0.6	99	7.0	4.7	58.4	19.8	195.5	54.6	1.5	100	22.6	218.6	51.6	1.0	100	21.2	162.2	55.0	0.4	97
PARTNERS BRAND 479RRY GCB	100	P250	1,2	23.2	196.8	54.8	0.5	96	7.9																	

BRAND / HYBRID	RM	TRT	Trait	%H2O	BUJA	Twt	%SL	%Sd	Prot	Oil	Strch	%H2O	BUJA	Twt	%SL	%Sd	Prot	Oil	Strch	%H2O	BUJA	Twt	%SL	%Sd	BUJA	Twt	%SL	%Sd	BUJA	Twt	%SL	%Sd
RUPP XR8758	98	C250	1,2	20.9	185.6	56.4	0.7	97	7.5	3.7	59.9	19.2	182.9	56.7	0.5	99	22.3	215.7	56.4	1.4	100	21.4	158.1	56.1	0.0	92						
RUPP XR8765	89	C250	1,2	19.8	158.3	58.6	2.3	78	8.1	3.6	60.4	18.6	152.3	58.7	3.1	74	21.4	168.6	57.7	1.7	83	19.5	154.0	59.5	2.1	78						
RUPP XR8772	92	P250	1,2	20.4	177.7	56.7	8.9	95	7.7	4.1	59.1	18.2	180.8	57.3	25.3	94	23.4	186.0	54.0	0.7	99	19.7	166.4	58.9	0.7	92						
TRELAY 4B268	96	P250	2	18.9	186.4	57.7	1.4	100	7.2	4.5	59.6	17.6	187.0	57.6	2.0	101	20.1	202.8	57.2	1.1	100	18.9	169.5	58.2	1.1	99						
TRELAY 4N627	98	P250	1,2	21.2	209.5**	56.4	0.6	97	7.9	4.4	58.6	19.5	216.9**	56.6	1.0	99	22.6	226.1*	56.2	0.4	97	21.6	185.5*	56.6	0.4	96						
TRELAY 5B353	100	P250	2	21.8	195.1	56.3	0.3	98	8.3	4.0	58.6	20.4	179.8	56.6	0.6	96	22.9	218.9*	55.5	0.0	100	22.0	186.7*	56.8	0.4	99						
TRELAY 5K106	100	P250	1,2,3	21.2	193.8	56.5	0.4	94	7.7	4.1	59.6	20.5	200.1*	57.3	0.4	97	22.5	214.6	53.7	0.7	99	20.7	166.7	58.3	0.0	87						
TRELAY 5N503	100	P250	1,2	20.7	207.1*	56.5	0.8	100	7.1	4.6	59.5	19.4	211.6*	56.5	1.0	100	21.7	225.4*	55.6	1.4	100	21.0	184.3*	57.4	0.0	100						
TRELAY 7560YGOB	100	P250	2	22.1	188.3	54.0	1.2	96	6.7	4.2	59.6	20.9	191.5	54.6	0.7	94	22.5	214.8	53.7	2.6	97	22.8	158.6	53.7	0.3	98						
AVERAGE				20.9	189.9	56.0	1.9	96	7.6	4.2	59.5	19.6	193.8	56.3	3.6	96	22.4	206.7	55.0	1.5	97	20.8	169.3	56.9	0.7	94						
HIGHEST				23.4	209.5	58.6	12.2	100	8.3	4.8	62.0	22.9	216.9	58.7	35.9	101	25.2	233.8	57.7	7.1	100	23.6	200.0	59.5	4.1	100						
LOWEST				18.9	158.3	53.7	0.0	78	6.7	3.4	58.0	17.6	152.3	53.2	0.0	74	20.1	168.6	51.6	0.0	83	18.3	143.7	53.7	0.0	78						
CV (%)				4.2	7.6	1.7	306	4	3.8	5.1	1.2	4.6	7.4	1.3	278	4	4.2	6.2	2.2	123	4	2.5	8.7	1.3	151	5						
LSD (5%)				0.6	9.7	0.6	3.9	3	0.3	0.3	0.8	1.1	16.8	0.9	11.6	4	1.1	15.0	1.4	2.1	4	0.6	17.3	0.8	1.2	5						

** Highest Yielding Hybrid

* Not Significantly Different from Highest Yielding Hybrid

2 Year Averages		EARLY TRIAL AVERAGE										% QUALITY					INGHAM - EARLY					KENT - EARLY					SAGINAW - EARLY																						
BRAND / HYBRID	RM	TRT	Trait	%H2O	BUJA	Twt	%SL	%Sd	Pot	Oil	Stroh	%H2O	BUJA	Twt	%SL	%Sd	%H2O	BUJA	Twt	%SL	%Sd	%H2O	BUJA	Twt	%SL	%Sd	%H2O	BUJA	Twt	%SL	%Sd																		
AGRIGOLD A6225BRR	98	P250	1,2	19.6	203.0	58.5	0.2	88	8.0	4.0	59.2	18.4	193.8*	58.2	0.4	90	20.1	194.0	58.8	0.2	88	20.3	221.3*	58.5	0.0	87	19.8	198.8	57.6	1.0	98	19.8	193.6	57.9	1.0	100	21.5	200.7	57.5	0.3	97								
BAYSIDE 1700	100	P250		18.8	194.5	56.6	1.7	99	7.4	4.0	60.6	17.2	185.9	57.1	2.3	99	18.8	191.0	56.6	1.5	98	20.4	206.6	56.0	1.4	100	19.4	200.0	56.7	0.8	96	19.1	204.5	57.2	0.6	95	21.5	212.3	56.2	1.0	96								
BAYSIDE 4095YGC	95	P250	2	18.9	196.4	58.4	6.6	99	7.8	4.5	58.1	17.8	187.1*	57.5	18.4	99	19.3	198.9	59.2	1.2	100	19.6	203.3	58.6	0.2	100	18.3	185.6	56.8	2.4	99	19.6	186.1	56.6	2.2	97	18.9	203.2	57.0	1.9	100								
BAYSIDE 5072RR	93	P250	1	18.3	185.6	56.8	2.4	99	7.7	4.1	60.1	16.3	167.6	56.8	3.2	99	19.6	186.1	56.6	2.2	97	19.3	192.7	57.8	0.5	93	18.6	189.3	57.5	1.1	94	18.2	3.7	59.7															
BAYSIDE 5518RR	95	P250	1	18.6	189.3	57.5	1.1	94	8.2	3.7	59.7	16.7	169.5	57.1	1.2	94	19.3	192.7	57.8	0.5	93	19.9	205.7	57.6	1.5	94	18.1	184.9	57.0	2.1	95	19.0	189.7	57.0	1.5	99	18.7	192.3	57.2	0.8	92								
BAYSIDE Super 93	93	P250		20.5	202.7	56.3	1.4	94	7.6	3.7	60.8	16.5	172.6	56.9	4.1	95	19.0	189.7	57.0	1.5	99	20.6	214.3	56.7	1.0	94	18.0	192.9	57.8	0.8	96	18.6	195.2	57.7	0.0	97	18.8	196.9	58.2	0.7	96								
BROWN 5636	98	C250		18.0	190.9	57.8	0.8	96	7.5	4.8	58.4	17.5	186.6*	57.5	1.7	97	18.5	186.9	58.2	0.7	96	19.5	224.5**	59.0	0.2	96	19.1	213.8**	58.6	0.3	97	17.4	196.7**	58.6	0.4	97	18.0	196.9	58.2	0.7	96								
CORN BELT C435YGC	93	P250	2	19.1	213.8**	58.6	0.3	97	8.1	4.2	58.7	17.4	196.7**	58.6	0.4	97	18.6	196.9	58.2	0.7	96	19.1	203.3	58.5	3.5	100	18.4	188.4	57.9	2.6	99	18.4	188.4	57.9	2.6	99	18.4	188.4	57.9	2.6	99								
CROPLAN 421RR/Bt	101	C250	1,2	18.4	189.1	57.1	1.6	98	7.6	3.9	60.4	16.8	175.8	56.9	2.2	98	19.1	195.3	56.6	0.3	98	19.3	196.1	57.8	2.2	97	17.9	193.6	57.8	0.6	94	17.4	184.9	57.6	1.0	95	18.6	200.3	58.0	0.7	91								
DAIRYLAND STEALTH-1598	98	P250	2	17.9	193.6	57.8	0.6	94	7.4	4.5	58.6	16.7	184.9	57.6	1.0	95	18.6	200.3	58.0	0.7	91	18.6	195.6	57.7	0.2	96	17.8	193.5	58.0	3.1	99	18.5	197.4	58.4	1.2	99	18.7	200.2	57.8	0.7	97								
DAIRYLAND STEALTH-5497	95	C250	2	17.8	193.5	58.0	3.1	99	7.4	4.8	58.4	16.3	183.0	57.8	7.4	100	18.5	197.4	58.4	1.2	99	18.7	200.2	57.8	0.7	97	17.8	194.6	57.5	3.0	99	18.5	188.2	57.5	3.4	100	18.1	185.1	57.8	1.9	97								
GART 8880YG1	90	P250		17.5	184.6	57.5	3.0	99	7.4	4.6	59.0	17.0	180.5	57.3	3.6	100	18.5	188.2	57.5	3.4	100	18.5	188.2	57.5	3.4	100	17.8	194.1	58.0	2.1	99	18.3	182.3	58.5	3.5	100	18.5	199.8	58.2	1.7	98								
HYLAND SEEDS HL2368	92	P250	2	17.5	184.1	58.0	2.1	99	7.5	4.7	58.2	15.8	182.3	57.4	1.1	99	18.3	200.3	58.5	3.5	100	18.5	199.8	58.2	1.7	98	18.9	206.9	55.7	0.8	99	17.2	191.1*	55.9	1.6	100	19.5	216.1*	55.3	0.5	98								
HYLAND SEEDS HLB282	90	P250	1	17.6	188.4	57.9	2.6	99	7.4	4.5	58.9	16.3	179.7	57.7	3.5	100	18.4	203.1	58.1	2.8	100	18.1	182.5	57.8	1.6	98	18.4	184.9	57.1	2.9	98	17.8	180.1	56.9	5.6	97	19.4	182.1	56.4	1.2	99								
HYLAND SEEDS HLR234	90	P250	1	18.4	184.9	57.1	2.9	98	7.7	3.7	59.9	17.8	180.1	56.9	5.6	97	19.4	182.1	56.4	1.2	99	18.1	192.5	58.0	2.0	98	18.0	187.6	58.2	0.9	96	16.8	187.1*	58.2	1.8	98	19.2	186.8	58.0	0.9	95								
HYLAND SEEDS JUXXIN	90	P250	2	20.0	194.7	58.4	0.7	96	7.6	4.9	57.6	16.8	187.1*	58.2	1.8	98	19.2	186.8	58.0	0.9	95	17.9	188.9	58.3	0.0	96	20.0	196.4	58.4	0.9	96	8.1	3.8	59.2			20.3	206.1	58.7	0.5	93								
HYLAND SEEDS LAXXOT Bt	100	P250	2	19.9	178.1	56.2	1.1	99	8.6	4.3	58.4	18.1	164.1	56.2	1.4	99	20.3	185.2	56.8	0.8	100	21.2	185.1	55.8	1.2	96	18.9	206.9	55.7	0.8	99	17.2	191.1*	55.9	1.6	100	19.5	216.1*	55.3	0.5	98								
LEGACY 46M94	100	P250	2	21.1	201.0	56.3	0.6	97	7.9	3.6	60.0	19.0	182.3	56.5	0.9	98	20.8	208.8	57.1	0.4	99	23.4	212.0	58.3	0.7	95	20.1	204.4	57.4	0.6	99	17.8	171.9	57.1	0.9	98	20.3	217.9*	58.8	0.3	100								
NK Brand N41-P1	99	C250	1,2,4	20.1	203.7	57.4	1.2	98	7.3	4.4	58.8	17.6	195.2*	55.9	1.8	97	20.3	211.1	56.1	1.4	98	22.2	223.3**	56.4	0.5	99	18.9	194.1	57.4	1.6	97	18.4	181.7	57.2	2.9	97	19.5	199.0	57.6	1.2	97								
NK Brand N45-A6	100	C250	2,4	21.1	201.0	56.3	0.6	97	7.9	3.6	60.0	19.0	182.3	56.5	0.9	98	20.8	208.8	57.1	0.4	99	23.4	212.0	58.3	0.7	95	20.1	204.4	57.4	0.6	99	17.8	171.9	57.1	0.9	98	20.3	217.9*	58.8	0.3	100								
PARTNERS BRAND 479RRYGC	100	P250	1,2	20.1	203.7	57.4	1.2	98	7.3	4.4	58.8	17.6	195.2*	55.9	1.8	97	20.3	211.1	56.1	1.4	98	22.2	223.3**	56.4	0.5	99	18.9	194.1	57.4	1.6	97	18.4	181.7	57.2	2.9	97	19.5	199.0	57.6	1.2	97								
TRELAY 5B353	100	P250	2	20.1	204.4	57.4	0.6	99	8.2	4.1	58.6	17.8	171.9	57.1	0.9	98	20.3	217.9*	58.8	0.3	100	21.2	185.1	55.8	1.2	96	21.1	213.8	58.6	6.6	99	8.6	4.9	60.8			20.8	224.5	59.2	3.5	100								
TRELAY 7560YGC	100	P250	2	17.5	178.1	55.7	0.2	88	7.3	3.6	57.6	15.8	164.1	55.9	0.2	90	18.3	182.1	55.3	0.2	88	17.9	182.5	55.1	0.0	87	4.2	6.5	1.5	240	4	4.7	5.5	1.3		3.8	5.5	1.9	131	3	3.1	6.2	1.1	137	4				
AVERAGE				0.4	5.9	0.4	2.1	2	0.3	0.2	0.6	0.7	10.7	0.5	6.1	2	0.7	9.1	0.9	1.5	3	0.5	9.6	0.5	0.9	3	0.4	5.9	0.4	2.1	2	0.3	0.2	0.6	0.7	10.7	0.5	6.1	2	0.7	9.1	0.9	1.5	3	0.5	9.6	0.5	0.9	3
HIGHEST				18.9	194.1	57.4	1.6	97	7.7	4.2	59.1	17.4	181.7	57.2	2.9	97	19.5	199.0	57.6	1.2	97	19.8	201.5	57.3	0.9	96	21.1	213.8	58.6	6.6	99	8.6	4.9	60.8			20.8	224.5	59.2	3.5	100	23.4	223.3	58.7	2.2	100			
LOWEST				4.2	6.5	1.5	240	4	4.7	5.5	1.3	4.7	6.9	1.1	222	3	3.8	5.5	1.9	131	3	3.1	6.2	1.1	137	4	0.4	5.9	0.4	2.1	2	0.3	0.2	0.6	0.7	10.7	0.5	6.1	2	0.7	9.1	0.9	1.5	3	0.5	9.6	0.5	0.9	3
CV (%)				0.4	5.9	0.4	2.1	2	0.3	0.2	0.6	0.7	10.7	0.5	6.1	2	0.7	9.1	0.9	1.5	3	0.5	9.6	0.5	0.9	3	0.4	5.9	0.4	2.1	2	0.3	0.2	0.6	0.7	10.7	0.5	6.1	2	0.7	9.1	0.9	1.5	3	0.5	9.6	0.5	0.9	3
LSD (5%)				0.4	5.9	0.4	2.1	2	0.3	0.2	0.6	0.7	10.7	0.5	6.1	2	0.7	9.1	0.9	1.5	3	0.5	9.6	0.5	0.9	3	0.4	5.9	0.4	2.1	2	0.3	0.2	0.6	0.7	10.7	0.5	6.1	2	0.7	9.1	0.9	1.5	3	0.5	9.6	0.5	0.9	3

3 Year Averages		EARLY TRIAL AVERAGE										% QUALITY					INGHAM - EARLY					KENT - EARLY					SAGINAW - EARLY				
BRAND / HYBRID	RM	TRT	Trait	%H2O	BUJA	Twt	%SL	%Sd	Prot	Oil	Stroh	%H2O	BUJA	Twt	%SL	%Sd	%H2O	BUJA	Twt	%SL	%Sd	%H2O	BUJA	Twt	%SL	%Sd	%H2O	BUJA	Twt	%SL	%Sd