

TABLE 2L.

INGHAM, KENT & SAGINAW COUNTY GRAIN TRIALS - LATE (102 Day and Later)

ZONE 2

2007		LATE - TRIAL AVERAGE				%QUALITY			INGHAM - LATE				SAGINAW - LATE								
BRAND / HYBRID	RM	TRT	TRAIT	%H2O	BU/A	Twt	%SL	%Sd	Prot	Oil	Strch	%H2O	BU/A	Twt	%SL	%Sd	%H2O	BU/A	Twt	%SL	%Sd
AGRIGOLD A6324BIRWRR	103	P250	1,2	20.4	205.4	58.0	0.8	97	9.3	3.9	58.2	19.1	172.4	58.2	0.0	99	21.8	238.3	57.7	1.6	96
AGRIGOLD A6325RWRR	104	P250	1,3	21.4	220.0	56.5	1.8	99	8.9	3.8	58.7	22.5	187.0*	55.6	2.3	99	20.4	252.9	57.3	1.3	99
BAYSIDE 2103YGCBBR	103		1,2	22.0	193.6	57.5	1.5	100	7.8	3.5	61.0	21.5	150.6	57.9	2.0	100	22.5	236.7	57.2	1.0	100
BAYSIDE 6103YGCBBR	103		1,2	18.9	189.7	58.8	2.1	96	8.7	4.3	58.5	18.8	147.2	58.7	3.2	95	19.1	232.2	58.9	1.0	97
BAYSIDE Super 105	105			22.5	189.0	56.4	3.7	98	8.9	3.6	59.9	23.4	158.9	56.4	3.1	98	21.5	219.0	56.4	4.3	99
CROPLAN 4664RB	103	C250	1,2	19.4	196.5	57.9	0.7	95	8.6	4.4	58.5	19.2	151.7	57.4	0.7	92	19.5	241.4	58.4	0.7	97
CROPLAN 5338TS	104	C250	1,2,3	21.2	217.6	57.5	1.6	100	8.0	4.3	58.7	21.6	180.7*	57.2	2.7	100	20.8	254.6	57.8	0.6	100
CROPLAN 5403XX	103	C250	2,3,4	21.6	213.4	56.7	0.5	98	8.4	3.3	60.3	21.4	173.8	56.7	1.0	100	21.9	253.0	56.7	0.0	97
CROWS 3848VT3	105	C250	1,2,3	22.7	213.1	58.0	1.5	98	7.6	3.8	60.5	22.4	178.4*	58.1	1.7	98	22.9	247.8	57.8	1.3	98
CROWS 4223T	107	C250	1,2,3	22.7	208.6	56.1	2.0	99	8.4	3.6	59.6	22.5	170.8	56.6	3.0	98	23.0	246.3	55.6	1.0	98
CROWS 4352S	107	C250	1,2	24.4	222.6*	55.8	1.1	99	9.4	4.1	58.0	25.1	172.5	55.6	1.3	100	23.7	272.7*	55.9	1.0	99
DAIRYLAND STEALTH-4006	105	P250	1,2,3	21.2	220.0	56.2	2.8	95	8.6	4.0	59.5	21.7	175.9	55.3	2.9	92	20.6	264.1*	57.1	2.7	97
DAIRYLAND STEALTH-5204	104	P250	2	19.7	211.9	59.0	0.5	98	8.2	3.8	60.1	19.0	172.6	59.1	0.3	98	20.4	251.1	58.9	0.7	98
DAIRYLAND STEALTH-6003	103	P250	1	20.3	200.1	56.2	1.0	99	8.4	4.0	59.5	20.2	165.0	56.1	1.0	100	20.5	235.1	56.2	1.0	98
DAIRYLAND STEALTH-6006	106	P250	1	22.2	211.1	55.8	2.4	97	8.9	3.7	59.0	22.5	173.5	55.3	2.8	96	21.9	248.6	56.4	2.0	98
DAIRYLAND STEALTH-7506	106	P250	1,2	20.9	207.6	58.1	0.2	96	8.7	3.5	58.8	20.6	183.9*	58.0	0.4	94	21.3	231.4	58.2	0.0	97
DEKALB DKC52-40 (RR2/YGPL)	102	P250	1,2,3	18.6	209.8	57.7	0.5	97	8.5	4.0	59.2	18.1	175.0	57.8	0.4	95	19.1	244.7	57.7	0.7	99
DEKALB DKC52-63 (RR2/YGCB)	102	P250	1,2	21.0	204.8	56.7	0.4	95	8.8	3.9	58.9	21.6	165.7	56.5	0.7	97	20.5	243.9	57.0	0.0	93
DEKALB DKC54-46 (RR2/YGPL)	104	P250	1,2,3	19.5	200.8	59.6	0.5	99	9.1	4.4	57.9	19.4	169.4	59.5	0.4	99	19.6	232.2	59.6	0.6	100
DEKALB DKC57-79 (RR2/YGPL)	107	P250	1,2,3	22.7	212.2	57.1	0.6	98	9.1	4.1	58.8	24.3	162.3	56.0	0.3	98	21.2	262.1*	58.2	1.0	99
DYNAGRO 55B49	105	P250	1,2,3	22.0	203.4	57.9	0.1	99	8.7	3.3	59.5	21.8	172.7	58.2	0.0	97	22.2	234.1	57.7	0.3	100
DYNAGRO 55K46	103	P250	1	18.7	195.3	56.0	1.3	99	8.0	4.2	59.1	17.6	154.3	55.6	1.0	97	19.9	236.3	56.4	1.6	100
FIELDERS CHOICE NG6580	102	P250		20.4	197.5	58.7	2.2	97	7.9	3.7	59.8	21.0	159.6	58.2	2.0	99	19.8	235.4	59.1	2.4	95
FIELDERS CHOICE NG6686	107	P250	1,2,3	22.4	203.2	57.8	1.8	99	8.5	3.6	60.6	22.1	154.2	57.7	2.0	98	22.6	252.3	58.0	1.6	100
GARST 8571CBILL	106	C250	2,4	23.5	212.0	53.6	0.9	96	7.7	4.0	59.1	24.6	172.6	53.6	1.1	97	22.4	251.4	53.6	0.7	96
GARST 8688GT	104	C250	1	20.6	181.5	56.4	2.1	91	9.0	4.3	58.4	20.7	135.1	55.8	2.5	94	20.4	227.9	56.9	1.7	89
GARST 8689IT	104	C250	5	20.7	211.0	56.3	1.3	98	8.6	3.9	59.0	20.5	173.9	56.3	1.0	99	20.9	248.1	56.4	1.7	98
GARST 8693CBILL	105	C250	2,4	22.0	206.5	55.7	1.4	99	8.3	3.3	60.5	22.0	158.0	55.4	2.1	98	22.0	255.1	56.0	0.6	100
GOLDEN HARVEST H-8061CBILL	104	C250	2,4	20.6	207.2	59.2	0.5	100	7.8	4.0	60.1	20.2	156.9	59.5	0.7	100	21.0	257.5	58.8	0.3	100
GOLDEN HARVEST H-8265CBILL	106	C250	2,4	22.1	212.6	57.3	0.7	98	8.3	3.5	60.1	22.2	172.1	57.0	0.4	97	22.1	253.2	57.7	1.0	98
GOLDEN HARVEST H-8318CBILL	106	C250	2,4	22.2	205.7	56.5	0.3	98	8.2	3.6	60.1	22.4	165.4	56.4	0.7	98	22.1	246.0	56.6	0.0	97
GOLDEN HARVEST H-8529CBILL	108	C250	2,4	22.9	210.9	53.8	0.7	97	8.2	4.2	58.5	23.2	169.9	53.8	1.4	96	22.6	252.0	53.7	0.0	98
GREAT LAKES 5362G3	103	P250	1,2,3	20.0	205.4	58.2	1.3	98	9.5	4.2	57.7	19.7	166.4	58.0	1.0	96	20.3	244.4	58.4	1.6	100
GREAT LAKES 5416RWRR	104	P250	1,3	21.6	219.7	56.8	2.0	97	8.5	4.1	59.3	21.9	184.8*	56.5	2.7	94	21.3	254.6	57.2	1.3	99
GREAT LAKES 5961G3	110	P250	1,2,3	22.3	208.1	56.3	0.8	98	8.6	4.0	58.0	22.8	173.0	56.0	0.7	97	21.8	243.1	56.6	1.0	100
HYLAND SEEDS HL2677	104	P250		21.8	206.7	56.4	4.0	96	8.9	4.1	58.6	22.2	173.4	56.0	3.8	95	21.3	240.1	56.9	4.1	96
HYLAND SEEDS HLB337	105	P250	2	22.7	234.4**	55.5	3.2	96	8.4	3.7	59.8	22.8	196.0**	55.6	6.0	95	22.6	272.8*	55.4	0.3	97
INTEGRA SEED INT9520RBC	102	P250	1,2,3	20.6	220.8	58.5	1.3	97	8.7	4.1	58.0	19.8	191.2*	58.6	1.3	97	21.3	250.3	58.4	1.3	97
INTEGRA SEED INT9530VT3	103	P250	1,2,3	20.1	210.5	56.8	0.3	93	8.8	4.0	58.2	19.2	172.3	56.8	0.3	94	21.0	248.8	56.7	0.3	93
INTEGRA SEED INT9550RBC	105	P250	1,2,3	21.8	200.0	58.0	0.8	98	8.6	3.5	59.3	21.5	164.8	58.4	0.3	96	22.1	235.3	57.6	1.2	100

** Highest Yielding Hybrid

* Not Significantly Different from Highest Yielding Hybrid

BRAND / HYBRID	RM	TRT	TRAIT	LATE - TRIAL AVERAGE				%QUALITY				INGHAM - LATE				SAGINAW - LATE					
				%H2O	BU/A	Twt	%SL	%Sd	Prot	Oil	Strch	%H2O	BU/A	Twt	%SL	%Sd	%H2O	BU/A	Twt	%SL	%Sd
LEGACY 44T14	106	P250	2	21.6	200.5	53.5	0.4	95	8.6	3.8	59.4	21.7	167.9	53.0	0.7	96	21.5	233.1	54.0	0.0	95
MIDWEST 76126VT3	105	C250	1,2,3	22.1	213.9	57.9	1.5	98	8.2	4.2	60.4	21.7	173.4	57.8	2.3	99	22.5	254.4	58.1	0.6	97
MIDWEST 76173T	107	C250	1,2,3	22.8	208.3	56.0	0.8	98	8.9	4.1	58.6	22.6	164.7	56.2	0.3	99	23.0	251.9	55.7	1.3	98
MIDWEST 76483S	107	C250	1,2	23.2	222.2	56.3	1.1	100	8.6	4.0	58.2	22.8	171.4	56.4	1.0	100	23.6	273.0	56.1	1.2	100
MYCOGEN 2D557	103	C250	2,3,4	20.4	199.4	58.6	0.7	98	8.7	4.1	58.5	22.1	156.7	58.7	1.4	97	20.6	242.1	58.5	0.0	99
MYCOGEN 2G627	106	C250	1,2,3	22.0	197.0	58.4	0.5	99	9.1	4.1	58.7	22.4	159.9	58.5	0.7	100	21.7	234.0	58.3	0.3	99
NK Brand N48-G6	103	C250	2,4	19.6	200.2	54.9	1.0	98	8.4	4.5	57.7	19.4	167.9	54.3	0.7	97	19.9	232.4	55.5	1.3	99
NK Brand N48-R3	103	C250	2,4	19.3	200.3	54.8	1.9	97	8.4	4.3	57.8	19.4	163.9	54.2	3.8	98	19.3	236.8	55.5	0.0	97
NK Brand N51-T8	104	C250	2,4	20.0	205.8	59.0	0.8	100	8.0	4.1	59.5	19.5	155.4	59.4	1.0	99	20.5	256.1	58.7	0.6	100
NK Brand N53-W3	105	C250	1	21.2	204.3	56.0	1.2	99	8.5	3.6	59.8	21.6	164.6	55.6	1.0	98	20.9	244.1	56.5	1.3	100
NuTech 0A-004	104	C250		20.3	183.8	56.2	1.3	90	8.7	3.8	57.8	19.8	155.8	55.9	0.7	96	20.9	211.8	56.5	1.9	84
NuTech 1B-103 CB/LL	102	C250	2,4	20.1	200.7	59.4	1.2	96	8.7	3.8	59.5	19.9	153.5	60.1	1.4	92	20.4	247.8	58.7	1.0	100
NuTech 1H-104 HX	104	C250	2,4	21.3	215.6	56.3	0.2	97	6.9	3.3	61.8	20.9	180.2	56.5	0.3	97	21.8	250.9	56.1	0.0	96
NuTech 1X-507 HXT	105	P250	2	22.8	200.9	57.5	1.0	98	8.8	3.1	60.3	23.3	159.1	57.1	0.7	97	22.3	242.7	57.8	1.3	99
NuTech 1X-606 HXT	105	C250	2,3,4	22.4	208.6	55.6	0.5	99	9.2	3.8	59.4	21.7	166.9	55.6	0.7	98	23.1	250.3	55.5	0.3	100
NuTech 3C-303 RRYGCB	103	P250	1,2	19.9	210.3	57.9	0.8	98	8.3	3.8	59.3	19.3	175.9	57.9	0.7	98	20.4	244.6	57.9	1.0	97
NuTech 3P-603 RRYGPL	103	P250	1,2,3	20.3	196.4	57.9	1.0	93	9.2	3.7	58.1	20.0	164.1	58.1	1.4	93	20.5	228.8	57.7	0.7	92
NuTech 3P-703 RRYGPL	103	C250	1,2,3	21.2	198.2	58.3	0.3	98	8.3	3.5	59.3	20.4	167.6	58.6	0.0	99	22.0	228.8	58.0	0.7	98
NuTech 3P-902 RRYGPL	102	P250	1,2,3	17.3	188.1	60.7	0.8	95	8.6	4.0	58.6	16.4	159.3	60.4	0.7	94	18.3	216.8	60.9	1.0	96
NuTech 3T-006 VT3	105	P250	1,2,3	22.3	225.1	56.5	1.0	98	8.6	4.2	58.1	22.6	186.4	56.6	0.7	98	22.1	263.7	56.4	1.3	98
NuTech 3T-301 VT3	103	P250	1,2,3	20.3	200.8	56.9	1.1	92	8.3	3.9	58.8	19.9	158.5	56.9	2.1	92	20.6	243.0	57.0	0.0	91
NuTech 3T-808 VT3	107	P250	1,2,3	24.7	220.2	55.9	2.6	96	9.4	3.8	59.0	25.6	186.1	55.5	1.1	96	23.8	254.2	56.3	4.1	96
NuTech 5H-403 RR/HX	105	C250	2,4	20.8	192.9	58.3	0.5	90	7.7	3.2	61.5	20.6	159.5	57.6	0.7	88	21.0	226.3	59.1	0.3	92
PIONEER 35F40	105	P250	1,2,4,11,12	20.8	230.7	58.6	0.5	97	7.7	3.5	60.4	20.8	193.6	58.4	1.0	96	20.8	267.7	58.7	0.0	98
PIONEER 35H42	107	P250	1,2,4,11,13	22.2	223.3	59.4	0.5	100	8.6	3.7	60.1	21.9	187.8	59.3	1.0	100	22.5	258.7	59.5	0.0	99
PIONEER 36K69	103	P250	1,2,4,11,13	21.4	217.6	56.8	0.5	99	9.3	3.9	58.4	21.4	177.8	56.3	0.3	99	21.4	257.3	57.4	0.6	100
PIONEER 36V75	104	P250	1,2,4,11,12	20.0	216.0	54.7	0.5	99	8.0	3.5	60.2	19.8	171.1	54.7	1.0	99	20.1	260.8	54.7	0.0	100
PIONEER 36W69	103	P250	1,2,3,4,11,12	21.0	199.0	56.8	0.5	98	8.4	3.5	58.6	21.0	170.9	56.7	1.0	98	20.9	227.0	56.9	0.0	99
PIONEER 36Y86	104	P250	1,2,3,4,11,12	20.2	201.7	58.3	0.2	100	8.4	3.9	59.0	20.4	177.6	57.7	0.4	99	20.0	225.7	58.9	0.0	100
RENK RK644HXTRA	106	P250	2,4	20.1	188.4	58.5	0.7	99	8.8	3.8	58.4	19.6	135.1	58.2	0.7	98	20.6	241.6	58.9	0.6	100
RENK RK670RRYGPL	103	P250	1,2,3	20.0	209.8	57.0	0.2	95	8.3	4.0	59.0	19.4	168.2	56.8	0.4	90	20.6	251.3	57.1	0.0	99
RENK RK72RRYGPL	104	P250	1,2,3	18.5	185.2	57.1	1.2	94	8.7	4.4	57.8	18.2	150.3	56.6	0.7	95	18.8	220.1	57.6	1.8	94
RUPP XR1634	104	C1250	5	20.7	215.7	56.2	1.7	98	8.7	3.9	59.3	20.5	178.4	55.7	1.4	97	20.8	253.0	56.8	2.0	98
RUPP XR8024	102	C1250	1,2,3	22.4	196.6	57.8	0.6	99	8.3	3.4	60.5	22.0	158.9	58.0	1.0	100	22.9	234.2	57.6	0.3	99
SEED CONSULTANTS SC10B36	103	C250	2	20.1	211.4	58.9	0.5	97	8.3	3.6	59.8	20.2	176.3	58.8	0.7	99	20.0	246.5	58.9	0.3	95
SEED CONSULTANTS SC10H27	102	C250	2,4	21.6	211.0	57.0	1.4	97	8.4	4.1	59.8	22.0	160.6	56.4	1.7	97	21.2	261.4	57.6	1.0	98
SEED CONSULTANTS SC10MT37	103	C250	1,2,3	20.6	208.4	57.6	1.5	99	8.6	3.5	59.7	20.4	175.0	57.3	0.8	99	20.9	241.8	58.0	2.3	100
AVERAGE				21.1	206.6	57.1	1.1	97	8.5	3.8	59.2	21.1	168.2	57.0	1.3	97	21.2	245.0	57.3	1.0	98
HIGHEST				24.7	234.4	60.7	4.0	100	9.5	4.5	61.8	25.6	196.0	60.4	6.0	100	23.8	273.0	60.9	4.3	100
LOWEST				17.3	181.5	53.5	0.1	90	6.9	3.1	57.7	16.4	135.1	53.0	0.0	88	18.3	211.8	53.6	0.0	84
CV (%)				3.9	6.1	1.1	119	3.4	4.5	5.9	1.3	4.4	7.8	1.3	124	3.5	2.8	3.7	0.7	107	3.2
LSD (5%)				0.8	12.3	0.6	1.3	3.2	0.5	0.3	0.9	1.3	18.3	1.1	4.3	4.8	0.8	12.6	0.6	1.4	4.4

2 Year Averages 2007 - 2006		LATE - TRIAL AVERAGE				%QUALITY			INGHAM - LATE			SAGINAW - LATE								
BRAND / HYBRID	RM TRT	TRAIT	%H2O	BU/A	Twt	%SL	%Sd	Prot	Oil	Strch	%H2O	BU/A	Twt	%SL	%Sd	%H2O	BU/A	Twt	%SL	%Sd
BAYSIDE 2103YGCBBR	103	1,2	22.8	197.8	55.9	0.9	98	7.7	3.6	60.5	22.5	181.5	55.8	1.1	98	23.1	214.2	56.0	0.7	98
BAYSIDE Super 105	105		23.2	197.2	54.7	2.6	95	8.3	4.0	59.5	23.4	181.9	54.8	2.1	94	23.0	212.6	54.6	3.1	96
DAIRYLAND STEALTH-5204	104	P250	21.3	212.6 *	57.3	0.4	99	7.6	3.9	59.7	21.1	193.5	57.0	0.3	99	21.5	231.7	57.6	0.5	99
DAIRYLAND STEALTH-6006	106	P250	23.0	208.0	54.6	2.6	98	8.5	4.0	58.8	23.1	194.6	53.9	2.7	97	22.8	221.5	55.2	2.6	99
DEKALB DKC52-40 (RR2/YGPL)	102	P250	19.8	215.7 *	56.9	0.4	98	8.4	4.0	59.0	19.6	204.8 *	56.5	0.5	97	20.0	226.7	57.3	0.3	99
DEKALB DKC52-63 (RR2/YGCB)	102	P250	21.6	208.5	55.9	0.4	94	8.2	3.8	59.1	21.5	195.9	55.6	0.5	97	21.7	221.1	56.1	0.2	92
DEKALB DKC54-46 (RR2/YGPL)	104	P250	20.4	202.2	57.9	0.5	98	8.3	4.2	58.3	20.4	194.1	57.4	0.7	97	20.4	210.4	58.4	0.3	98
DEKALB DKC57-79 (RR2/YGPL)	107	P250	23.3	210.6	56.1	0.5	98	8.3	4.1	59.0	24.2	193.4	55.4	0.3	99	22.4	227.7	56.8	0.7	98
GARST 8688GT	104	C250	21.6	191.3	55.5	2.1	91	8.2	4.2	59.1	21.8	172.8	54.8	2.5	93	21.5	209.7	56.1	1.7	89
GARST 8689IT	104	C250	21.7	210.6	55.2	1.8	96	8.1	3.8	59.4	21.5	201.4	55.0	1.4	97	22.0	219.9	55.4	2.2	95
GARST 8693CB/LL	105	C250	23.3	210.4	54.0	0.9	97	7.7	3.6	60.5	23.3	188.3	53.8	1.2	98	23.4	232.5 *	54.2	0.7	96
HYLAND SEEDS HLB2677	104	P250	23.3	209.1	54.6	3.0	94	8.3	4.0	59.1	23.5	200.0	54.3	3.0	93	23.1	218.3	54.8	3.0	95
HYLAND SEEDS HLB337	105	P250	24.2	225.5 **	53.6	2.1	96	8.2	3.8	59.3	24.5	215.7 **	53.7	3.5	96	23.9	235.3 *	53.6	0.7	96
NK Brand N48-R3	103	C250	20.3	203.7	53.7	1.1	98	8.2	4.4	57.7	20.0	192.4	53.0	2.2	98	20.7	214.9	54.4	0.0	97
NK Brand N53-W3	105	C250	22.0	207.8	55.2	1.5	99	7.9	3.8	59.9	22.3	188.9	54.5	2.0	98	21.8	226.8	56.0	1.0	100
PIONEER 36K69	103	P250	23.1	219.7 *	55.4	0.4	100	8.4	3.9	58.6	23.5	196.1	54.7	0.3	99	22.8	243.4 **	56.1	0.5	100
AVERAGE			22.2	208.2	55.4	1.3	97	8.1	3.9	59.2	22.3	193.4	55.0	1.5	97	22.1	222.9	55.8	1.1	97
HIGHEST			24.2	225.5	57.9	3.0	100	8.5	4.4	60.5	24.5	215.7	57.4	3.5	99	23.9	243.4	58.4	3.1	100
LOWEST			19.8	191.3	53.6	0.4	91	7.6	3.6	57.7	19.6	172.8	53.0	0.3	93	20.0	209.7	53.6	0.0	89
CV (%)			3.8	6.6	1.1	114	4.0	4.2	5.9	1.2	4.3	8.0	1.3	111	3.8	2.6	4.8	0.8	121	4.1
LSD (5%)			0.8	13.5	0.6	1.0	3.8	0.3	0.2	0.6	0.9	13.9	0.7	1.4	3.6	0.5	11.2	0.5	1.1	3.9

3 Year Averages 2007 - 2005		LATE - TRIAL AVERAGE				%QUALITY			INGHAM - LATE			SAGINAW - LATE								
BRAND / HYBRID	RM TRT	TRAIT	%H2O	BU/A	Twt	%SL	%Sd	Prot	Oil	Strch	%H2O	BU/A	Twt	%SL	%Sd	%H2O	BU/A	Twt	%SL	%Sd
BAYSIDE Super 105	105		22.0	200.2	54.8	2.8	96	8.2	3.9	59.6	21.4	178.3	55.0	2.6	95	22.7	222.1	54.6	2.9	96
DAIRYLAND STEALTH-5204	104	P250	20.6	216.1 **	57.2	0.5	99	7.8	4.0	59.4	19.2	192.9 *	57.4	0.7	99	22.0	239.2 **	57.0	0.3	99
GARST 8689IT	104	C250	21.0	212.2 *	55.3	1.5	97	8.1	3.9	59.2	19.9	198.5 **	55.6	1.5	98	22.1	225.8	55.1	1.6	96
AVERAGE			21.2	209.5	55.8	1.6	97.2	8.0	3.9	59.4	20.1	189.9	56.0	1.6	97	22.3	229.1	55.6	1.6	97
HIGHEST			22.0	216.1	57.2	2.8	99.0	8.2	4.0	59.6	21.4	198.5	57.4	2.6	99	22.7	239.2	57.0	2.9	99
LOWEST			20.6	200.2	54.8	0.5	95.7	7.8	3.9	59.2	19.2	178.3	55.0	0.7	95	22.0	222.1	54.6	0.3	96
CV (%)			4.4	6.1	1.4	122	3.5	4.4	6.2	1.3	4.7	7.4	1.8	126	3.3	2.9	4.3	0.9	119	3.6
LSD (5%)			0.8	10.1	0.6	1.0	2.7	0.3	0.2	0.5	0.8	10.5	0.8	1.3	2.6	0.5	8.2	0.4	0.9	2.8

** Highest Yielding Hybrid

* Not Significantly Different from Highest Yielding Hybrid